



PROFESSIONAL SCREWS



Marketing Offerings

225 Elm Ave
Galt, Ca 95632
bmdusa.com

BMD
Building Material Distributors, Inc.
An Employee Owned Company



Header Boards

Substrate Option:
PVC Board

ID: QBPHB4818






PowerPoint

Cover



Inside Pages



ID: QBPPP01



Banner

ID: QBPB01



24"

70"



Packaging Program





Dispenser Magnets

ID: QBPM1



4.75"

5.75"

Substrate Option:
Magnet

ID: QBPM5



5.5"

2"



Counter Mat

ID: QBPCM



PROFESSIONAL SCREWS

EXTERIOR WOOD SCREWS

INTERIOR WOOD SCREWS

HEAVY GA METAL SCREWS

LIGHT GA METAL SCREWS



MODIFIED TRUSS SELF DRILLING
Walter head design to provide reduced load profile head height and more surface area. Perfect for both steel and multiple general applications. Drill point for penetrating 20 to 14 gauge steel.

MODIFIED TRUSS SHARP POINT
Walter head design to provide reduced load profile head height and more surface area. Perfect for both steel and multiple general applications. Sharp point for quick penetration into light gauge steel studs.

PAN HEAD FRAMING SHARP POINT
Pan head framing screw with serrations under head for fastening metal to metal. Extra sharp point for fast penetration into two layers of light gauge steel studs.

PAN HEAD FRAMING SELF DRILLING
Pan head framing screw with serrations under head for fastening metal to metal. Self-drill point for penetration into heavier gauge metal.

FLAT HEAD SELF DRILLING WITH WINGS
Flat head designed to secure plywood to heavy gauge steel. Specially engineered wings break off once contact is made with metal studs.

HEX HEAD SHARP POINT
Hex head for high torque applications into light gauge metal. Hex head for easy removal applications.

HEX HEAD SELF DRILLING #3 POINT
Hex Head designed to provide superior torque in heavy gauge metal. Self-drilling #3 point for ease of penetration.

HEX HEAD SELF DRILLING #4 POINT
Hex Head designed to provide superior torque in heavy gauge metal. Self-drilling #4 point for ease of penetration into heavy gauge metals.

HEX HEAD SELF DRILLING #5 POINT
Hex Head designed to provide superior torque in heavy gauge metal. Self-drilling #5 point for ease of penetration into heavier gauge metals.

HEX HEAD SELF DRILLING WITH WASHER
Hex Head with EPDM backed washer for metal roofing and siding. Sharp point for a fast penetration into light gauge metal.

HEX HEAD SELF DRILLING WITH WASHER
Hex Head with EPDM backed washer for metal roofing and siding. Self-drilling point for penetration into heavier gauge metals.

CEMENT BOARD SCREW SHARP POINT
For fastening cement board into metal or wood. Exterior coated 8 gauge fastener specifically designed for dense materials. Strong ribs under head to allow for deeper seating into hard sheathing boards.

CEMENT BOARD SCREW DRILL POINT
For fastening cement board into 20 to 14 gauge steel. Exterior coated 6 gauge fastener specifically designed for dense materials. Strong ribs under head allow for deeper seating into hard sheathing.

EXTERIOR DECK SCREW WITH TYPE 17 POINT
Exterior coated screw for attaching wood to wood. Deep recessed necking and fine recess drive surface. Extra sharp point and type 17 cut for easy penetration into wood. Fastener coated to 1,000 hour salt spray resistance for long life in exterior environments.

DRYWALL SCREW COARSE THREAD SHARP POINT
Bugle head design for quick attachment of drywall to wood. Strong threads for use in multiple interior applications with bedding power. Sharp point for fast penetration.

DRYWALL SCREW FINE THREAD SHARP POINT
Bugle fastener for attachment of drywall to light gauge steel studs. Strong threads with fine lead and sharp point for fast penetration into steel studs.

DRYWALL SCREW SELF DRILLING
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point for 20 to 14 gauge metal. Phosphate coated for exterior applications.

DRYWALL SCREW SELF DRILLING ZINC
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point for 20 to 14 gauge metal. Zinc plated for interior applications.

LAMINATING BUGLE HEAD SCREW
Bugle head screw specifically designed for smooth finish to drywall. Extra thick gasket for strong holding power and sharp point for heavy penetration.

Substrate Option:
Hard Surface Counter Mat

11"

17"





Aisle Violators

ID: QBPAV01

Quick Build PROFESSIONAL SCREWS PRO

CEMENT BOARD SCREW SHARP POINT
For fastening cement boards onto metal or wood. Exterior coated #8 gauge fastener specifically designed for dense materials.

CEMENT BOARD SCREW SELF-DRILLING
For fastening cement boards onto 20 to 14 gauge steel. Exterior coated #8 gauge fastener specifically designed for dense materials.

EXTERIOR DECK SCREW - TYPE 17 POINT
Exterior coated screw for attaching wood to wood. Extra sharp point and type 17 cut for easy penetration into wood. Fastener coated for long life.

DRYWALL SCREW COARSE THREAD
Bugle head design for quick attachment of drywall to wood. Sharp point for fast penetration.

DRYWALL SCREW FINE THREAD
Bugle head fastener for attachment of drywall to light gauge steel studs. Strong threads with trim head and sharp point for fast penetration into steel studs.

DRYWALL SCREW SELF DRILLING
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point for 20-14 gauge metal. Phosphate coated.

DRYWALL SCREW SELF DRILLING ZINC
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point 20-14 gauge metal. Zinc plated.

LAMINATING BUGLE HEAD SCREW
Bugle head screw specifically designed to join drywall to drywall.

GENERAL WOOD SCREW
Fastener for interior wood to wood and multiple applications. Bugle head coarse thread with strong threads to provide secure fastening.

TRIM HEAD SHARP POINT
Trim head design for low visibility in wood surface. Strong coarse threads and sharp point for quick wood penetration.

TRIM HEAD SELF DRILLING POINT
Trim head design for low visibility in wood surface. Strong coarse thread and drill point for quick wood attachment to 20 to 14 gauge metal.

A Brand By
The Building Material Distributors, Inc.

17"

4.5"

ID: QBPAV02

Quick Build PROFESSIONAL SCREWS PRO

CEMENT BOARD SCREW SHARP POINT
For fastening cement boards onto metal or wood. Exterior coated #8 gauge fastener specifically designed for dense materials. Strong ribs under head to allow for proper seating into hard sheathing boards.

CEMENT BOARD SCREW SELF-DRILLING
For fastening cement boards onto 20 to 14 gauge steel. Exterior coated #8 gauge fastener specifically designed for dense materials. Strong ribs under head allow for proper seating depth into hard sheathing.

EXTERIOR DECK SCREW - TYPE 17 POINT
Exterior coated screw for attaching wood to wood. Deep recess reduces wobbling and increases drive torque. Extra sharp point and type 17 cut for easy penetration into wood. Fastener coated for long life in exterior environments.

DRYWALL SCREW COARSE THREAD
Bugle head design for quick attachment of drywall to wood. Strong threads for use in multiple interior applications with holding power. Sharp point for fast penetration.

DRYWALL SCREW FINE THREAD
Bugle head fastener for attachment of drywall to light gauge steel studs. Strong threads with trim head and sharp point for fast penetration into steel studs.

DRYWALL SCREW SELF-DRILLING
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point for 20 to 14 gauge metal. Phosphate coated for interior applications.

DRYWALL SCREW SELF-DRILLING ZINC
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point for 20 to 14 gauge metal. Zinc plated for interior applications.

LAMINATING BUGLE HEAD SCREW
Bugle head screw specifically designed for smooth finish to drywall. Extra thick gauge for strong holding power and sharp point for easy penetration.

ALL PURPOSE WOOD SCREW
Fastener for interior wood to wood and multiple applications. Bugle head coarse thread with strong threads to provide secure fastening.

TRIM HEAD SHARP POINT
Trim head design for low visibility in wood surface. Strong coarse threads and sharp point for quick wood penetration.

TRIM HEAD SELF-DRILLING POINT
Trim head design for low visibility in wood surface. Strong coarse thread and drill point for quick wood attachment to 20 to 14 gauge metal.

A Brand By
The Building Material Distributors, Inc.

17"

7.75"

Substrate Option:
PVC Board



Literature

ID: QBPCOB

CEMENT BOARD SCREW SHARP POINT
For fastening cement boards onto metal or wood. Exterior coated 8 gauge fastener specifically designed for dense materials.

CEMENT BOARD SCREW SELF-DRILLING
For fastening cement boards onto 20 to 14 gauge steel. Exterior coated 8 gauge fastener specifically designed for dense materials.

EXTERIOR DECK SCREW - TYPE 17 POINT
Exterior coated screw for attaching wood to wood. Extra sharp point and type 17 cut for easy penetration into wood. Fastener coated for long exterior life.

DRYWALL SCREW COARSE THREAD
Bugle head design for quick attachment of drywall to wood. Sharp point for fast penetration.

DRYWALL SCREW FINE THREAD
Bugle head fastener for attachment of drywall to light gauge steel studs. Strong threads with twin lead and sharp point for fast penetration into steel studs.

DRYWALL SCREW SELF-DRILLING
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point for 20-14 gauge metal. Phosphate coated.

DRYWALL SCREW SELF-DRILLING - ZINC
Bugle head fastener for quick attachment and smooth finish of drywall to steel studs. Self-drill point 20-14 gauge metal. Zinc plated.

LAMINATING BUGLE HEAD SCREW
Bugle head screw specifically designed to join drywall to drywall. Extra thick gauge for strong holding power and sharp point for easy penetration.

ALL PURPOSE WOOD SCREW SHARP POINT
Fastener for interior wood to wood and multiple applications. Bugle head coarse thread with strong threads to provide secure fastening.

TRIM HEAD SHARP POINT
Trim head design for low visibility in wood surface. Strong coarse threads and sharp point for quick wood penetration.

TRIM HEAD SELF-DRILLING POINT
Trim head design for low visibility in wood surface. Strong coarse thread and drill point for quick wood attachment to 20 to 14 gauge metal.

8.5"

Substrate Option:
Card Stock, Gloss, or Laminated

ID: QBPTF

The QB Pro Advantage

Features	Benefits
Deep Recess Penetration	Pushes drive torque through the screw for faster penetration.
Well-Formed Recess	Easy to seat the screw and cam out when at proper depth.
Sharp Threads	Allow screw to cut through material quickly.
Thread Angle	Provides stronger holding power.
Strong Threads	Gives screw strength to penetrate dense material.
Core Steel Strength	Allows fastener to maintain internal integrity (head do not pop off).
Smooth Bugle Head	Easy to seat in drywall even on the drywall joints.
Exceeds ASTM Requirements	Security in a full tested fastener for job site use.

A Brand By
BMD
Building Material Distributors, Inc.
An Employee Owned Company

11"

8.5"



Premium Deck Screw Header Board

Substrate Option:
PVC Board

ID: QBPDSH01

Quick Build **PREMIUM DECK SCREWS**

TYPE 17
Type 17 point reduces the need for pre-drilling
Nibs under head provide improved countersinking into material

6-POINT STAR DRIVE
6-Point Star Drive helps prevent stripped screw heads while providing more torque

SKT® COATING
Superior SKT® Coating provides anti-corrosion and less friction. 1000 hours Salt Spray Test approved. Available in four colors.

ACQ COMPATIBLE
ACQ Compatible in conformance with AWPA (American Wood Protection Association)
"Fasteners treated with a durable ACQ corrosion-resistant proprietary coating have more of a safety factor than standard coated carbon steel fasteners."
- NADRA (North American Deck and Railing Association)

Grey
Green
Cedar
Red Brown

13.5"

36"



Premium Deck Screw Literature

NEW TYPE 17 PREMIUM DECK SCREW

LOCK & LOAD YOUR SAVINGS

Gold Receive \$100 Cabela's Gift Card + add'l 10% off + Stocking Dealer Status* with opening order of \$2,000 or more.

Silver Receive \$50 Cabela's Gift Card + add'l 10% off + Stocking Dealer Status* with opening order of \$1,500 or more.

Bronze Receive add'l 10% off + Stocking Dealer Status* with opening order of \$1,000 or more.

*Receive 10% discount on ALL future Premium Deck Screw with Stocking Dealer Status

6-POINT STAR DRIVE
6-Point Star Drive helps prevent stripped screw heads while providing more torque.

TYPE 17
Type 17 point reduces the need for pre-drilling.

SKT® COATING
Superior SKT® Coating provides anti-corrosion and less friction. 1000 hours Salt Spray Test approved.

ACQ COMPATIBLE
ACQ Compatible in conformance with AWPA (American Wood Protection Association).

20 ft. Aisle Display

3 ft. End Cap Display

SelectDECK Promotion End Date: Nov. 30th 2011

Acceptance of orders is subject to approval of purchaser's credit by BMD and BMD's standard terms and conditions of sale. The terms of this promotion may not be combined with any other specials or promotional offerings to supersede the Extended Terms or increase the MFA (e.g. Ninety (90) Days Promotional Terms may not be combined with Ninety (90) Day Terms from any other specials or promotions to equal One Hundred Eighty (180) Day Terms).

BMD
Building Material Distributors, Inc.
www.bmdusa.com

Available Hard Copy and Digital

11"

ID: QBPDSL01

8.5"



Premium Deck Screw Magnets

ID: QBPDSM1

2"




#7 x 2"

PREMIUM DECK SCREW
TYPE 17 TORX DRIVE
COLOR: GREEN

TORNILLO PREMIO PARA PATIO CON CABEZA TIPO ESTRELL DE MEDIDA 17, COLOR VERDE

2PDSTGRN1LB



Manufactured to ASTM #1667
For BMD Inc. Galt, CA

4.75"

Substrate Option:
Magnet

5.75"

ID: QBPDSM5




#7 x 2"

PREMIUM DECK SCREW
TYPE 17 TORX DRIVE
COLOR: GREEN

TORNILLO PREMIO PARA PATIO CON CABEZA TIPO ESTRELL DE MEDIDA 17, COLOR VERDE

2PDSTGRN1LB

2"

5.5"



Premium Deck Screw Shelf Labels



ID: QBL45

4.5"

2.5"

Substrate Option:
Card Stock

ID: QBL55



5.5"

2.5"



Premium Deck Screw Samples

Select DECK

Our ACQ compatible Premium Exterior Deck Screws come in multiple colors and sizes to suit your project needs. Available in a 1 lb Box, 5 lbs Box, and Bulk Carton.

- Green
- Red Brown

Available Sizes:

• 7" X 1-1/4"	uses T-20 bit
• 7" X 1-5/8"	uses T-20 bit
• 8" X 2"	uses T-20 bit
• 9" X 2-1/2"	uses T-25 bit
• 9" X 3"	uses T-25 bit
• 10" X 3-1/2"	uses T-25 bit
• 10" X 4"	uses T-25 bit

Quick Build

QuickDECK
PREMIUM FASTENERS

★ STAR DRIVE BIT INCLUDED

BMD
Manufactured to ASTM #F1667
For BMD Inc, Galt, CA

www.bmdusa.com

ID: QBPDSS1