

VULCAN VENT® FIRE & EMBER SAFE VENTS

STOPS FIRES

PROUDLY DISTRIBUTED BY

BMD

An Employee Owned Company

WWW.BMDUSA.COM/VULCANVENTS



FOUNDATION VENTS (VFS)

Foundation vents provide critical cooling and ventilation for evaporation of moisture from your crawl space, cellar, or basement. Vulcan Vent foundation vents use a baffle-free design to encourage air to circulate freely under your floors in the summer. This circulation reduces the risk of mildew, mold and rot from water condensation under your structure. Being at ground level and vertical, foundation vents may be susceptible to ember attacks. The Vulcan Vent was designed with embers in mind!

The Vulcan Foundation Vent is available for new or retro-fit applications. With intumescent coating that closes at high temperatures and ember catching mesh.

VFS (VULCAN FOUNDATION, SOFFIT)


- Some foundation and soffit vents are cross-categorized because of cross-application capability of certain models.
- Cross-application vents are indicated by an * symbol.
- Suffix index:

FF = Wood, S = Stucco, SMC = Mil Core,

FB = Foam Back, FC = Fiber Cement



VSF814FF Example soffit and foundation vent.



VFS6114FF



VFS614S

| MFG. Part # | Description | Wt/Ea (lbs) | Qty/Box | NFVA | Cut Out (In) |
|-------------|--|-------------|---------|------|--------------|
| VFS414FB* | 4" x 14" FOAM BACK FLANGE RECESSED 1-1/2" | 0.4 | 10 | 24 | 3.5 x 13.5 |
| VFS414FF* | 4" x 14" FLANGE FRONT | 0.25 | 10 | 24 | 3.5 x 13.5 |
| VFS414S* | 4" x 14" FLANGE RECESSED 3/4" STUCCO | 0.25 | 10 | 24 | 3.5 x 13.5 |
| VFS614FB* | 6" x 14" FOAM BACK FLANGE RECESSED 1-1/2" | 1.15 | 10 | 41 | 3.5 x 13.5 |
| VFS614FC* | 6" x 14" FIBER CEMENT FLANGE RECESSED 3/8" | 1 | 10 | 41 | 5.5 x 13.5 |
| VFS614FF* | 6" x 14" FLANGE FRONT | 1 | 10 | 41 | 5.5 x 13.5 |
| VFS614S* | 6" x 14" SET BACK 3/4" STUCCO | 1 | 10 | 41 | 5.5 x 13.5 |
| VFS814FB* | 8" x 14" FOAM BACK FLANGE RECESSED 1-1/2" | 1.35 | 10 | 62 | 7.5 x 13.5 |
| VFS814FF* | 8" x 14" FLANGE FRONT | 1.2 | 10 | 62 | 7.5 x 13.5 |
| VFS814S* | 8" x 14" SET BACK 3/4" STUCCO | 1.2 | 10 | 62 | 7.5 x 13.5 |



| NOTES | | |
|-------|------|-----|
| | 1/2- | |
| | | |
| | | |
| | | |
| / | | |
| - | | |
| | | |
| | | 78/ |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| C | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |







BMD, INC. 225 ELM AVE. GALT, CA 95632

(800)545-0365 WWW.BMDUSA.COM/VULCANVENTS PROUDLY DISTRIBUTED BY

Building Material Distributors, Inc.

An Employee Owned Company