WESTERN FENCING

BMD

Agricultural Fencing Catalog



BMD Brand Fencing
Your Total Fencing Source

WESTERN FENCING

BMD

BMD Brand Fencing
Your Total Fencing Source

To serve all your fencing needs, BMD also distributes these widely recognized, quality brand names.

Combined with the products available through our many loyal partners such as Red Brand, Davis, Oklahoma, Bekaert, DeAcero, W. Silver and many others, Western Fencing can certainly fulfill the needs of any fencing project.

Red Brand®

Davis Wire Corporation
Ranch Hand®

Bekaert Corporation
High Tensile Fencing

Western Square
Gates

Tenax
Poly Plastic Fence

Oklahoma Steel
Stockade Panels

BMD
EMPLOYEE OWNED. BUILDING PARTNERS.
DISTRIBUTION

http://www.bmdusa.com/bmd-brands/western-fencing

Table of Contents

Western Fencing

Guide to Easy Fence Selection 4
Acreage Guide 4
Acreage Table 4
Western Fencing Displays 5
Welded Wire 5
PVC Coated Welded Wire 6
Tomato Wire 6
Gopher Wire 6
Poultry Netting 7
Aviary Netting 7
Black PVC Hardware Cloth 8
Hardware Cloth 8
T-Posts & U-Posts 9
Post Driver 9

W. Silver

Domestic "Rail Steel" studded T-Post 10

Red Brand

Red Brand® Barbed Wire 11
Red Brand® Fence Stays 11
Red Brand® Fence Staples 12
KeepSafe® Horse Fence 12
Multi-Use Woven Field Fence 13
Red Brand® "Non-Climb" Fence 13
Red Brand® Deer & Orchard 14
Yard, Garden & Kennel Fence 14
Galvanized Electric Fence Wire 14
Sheep & Goat Fence 15
How to "Read" Red Brand® Fence 15

Davis Wire Corporation

Barbed Wire 16
Hinge Joint Field Fence 17
Stiff Stay Field Fence 17
Deer & Rabbit Fence 17
Stablemesh – Horse Fence 18

DeAcero Rangemaster Fencing

Horse Fence 19
Sheep & Goat 19
Hinge Joint Deer Fence 20

Bekaert

Barbed Wire 21
Cattleman Barbed Wire 21
High Tensile Smooth Wire 21
Barbed Wire - Gaucho® 21
Bezinal Barbed Staples 21
Hinge Joint Field Fence 22
Knot Horse Fence 22
High Strength Horse Fence 22
Black High Strength Horse Fence 22
Gaucho High Tensile Game Fence 23
Solidlock® High Tensile Game Fence 23
Black Bezinal Game Fence 23
Zinc Aluminum Game Fence 23
Fixed Knot Product 23
What is High Tensile Wire 24

Western Square

Gates 25-27

Tenax

Poly Fencing 28

Oklahoma Steel

Stockade Panels 29-31

Hutchison HW

Hutchison Western "BIG LIP"
Stock Tanks 31-32
- Round 2' Deep
- Oval 2' Deep
- Oval 1' Deep - Sheep

BMD

Tree Stakes 33
Doweled Posts 33

Guide to Easy Fence Selection

There are many types of fences and each is meant to perform a specific job.
This guide will help you select the best fence to serve your needs.

Mesh Design

Fencing is constructed by forming the wire into uniform patterns called "mesh."
Each mesh design has been refined through years of experience and use.

Squared Mesh


Consists of wires welded to form a squared or rectangular pattern. This mesh is available in many mesh patterns and various gauges and is galvanized before it is welded.

Hexagonal Mesh

Consists of lightweight wire that is woven to form a hexagon pattern.
This mesh is available in 4 different sizes and is galvanized before it is woven.


Wire Gauge

Fencing is made from various gauges of wire – from very heavy to very light.
The chart to the right shows you the size of each gauge (Ga.) of wire used in making fencing. Notice that as the gauge size gets larger, the wire size gets smaller.




Acreage Guide

Use this diagram to calculate the number of rods or footage of fence required to enclose fields of different sizes.



Western Fencing Displays

BMD is proud to present the Western Fencing Display Selection Board. This display of product offerings will help your customers find the fencing products they need fast and effectively. Along with our superior fencing products, BMD provides marketing support and POP solutions for all of our stocking customers.



Selection Board **Actual Size: 48" x 36"**

Welded Wire

Welded Wire (General Purpose Fabric) is a multi-purpose fence used for all types of farm and home applications. Some of the popular uses include cages, livestock panels, garden fencing and temporary pens. Solid welded construction ensures a sturdy fence design.

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
2x4	12½	36"	100'	72
2x4	12½	48"	100'	96
2x4	12½	60"	100'	119
2x4	12½	72"	100'	141
2x4	12½	36"	50'	38
2x4	12½	48"	50'	49
2x4	12½	60"	50'	62
2x4	12½	72"	50'	73
1x2	14	18"	100'	47
1x2	14	24"	100'	62
1x2	14	36"	100'	94
1x2	14	48"	100'	122
1x2	14	60"	100'	155
1x2	14	72"	100'	186
1x1	14	24"	100'	84
1x1	14	36"	100'	125
1x1	14	48"	100'	164

Mesh Spacing	*Gauge*	*Roll Height*	*Roll Length*	*Roll Weight*
2x4	14	36"	100'	48
2x4	14	48"	100'	64
2x4	14	60"	100'	80
2x4	14	72"	100'	96
2x4	14	36"	50'	24
2x4	14	48"	50'	32
2x4	14	60"	50'	40
2x4	14	72"	50'	48
½x1	16	24"	100'	76
½x1	16	36"	100'	114
½x1	16	48"	100'	151
1x1	16	48"	100'	101
2x2	16	48"	100'	52
2x2	16	60"	100'	64
2x3	16	36"	50'	76
2x3	16	48"	50'	87

Welded Wire (cont.)

Green & Black PVC Welded Wire

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x4	14	48″	100'	64
2x4	14	60″	100'	80
2x4	14	72″	100'	96
2x4	14	36″	50'	24
2x4	14	48″	50'	32
2x4	14	60″	50'	40
2x4	14	72″	50'	48


Garden Fence *(Green Vinyl Coated)*

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x2½	16	24"	25'	9
2x2½	16	36"	50'	19
2x2½	16	48"	50'	26

Tomato Wire

This product provides support and stabilizes heavy tomato plants.
It prevents plant sprawl and provides easy access to fruit.
The 20′ length of this product makes 4 cylindrical cages.

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
4x6	16	48"	20'	6




4x6 Mesh
4"x 6" Openings

Gopher Wire

This galvanized woven fence provides gopher exclusion for your plants, trees, and lawns.
It can also be used as a barrier for erosion control, topiary projects and temporary fence partitions.

Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
¾"	20	24"	100'	20
¾"	20	36"	100'	29
¾"	20	48"	100'	39
¾"	20	60"	100'	48
¾"	20	24"	25'	5
¾"	20	36"	25'	7
¾"	20	48"	25'	10





Poultry Netting

This fencing is ideal for poultry and pet pens, and many other home and garden projects. It provides predator-proof protection for domestic fowl and gardens.

Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
1"	20	12"	150'	18
1"	20	18"	150'	24
1"	20	24"	150'	32
1"	20	36"	150'	46
1"	20	48"	150'	62
1"	20	60"	150'	77
1"	20	72"	150'	92
1"	20	12"	50'	6
1"	20	18"	50'	8
1"	20	24"	50'	11
1"	20	36"	50'	15
1"	20	48"	50'	21
1"	20	60"	50'	26
1"	20	72"	50'	31
1"	20	24"	25'	5
1"	20	36"	25'	8
1"	20	48"	25'	10
1"	20	24"	10'	2
1"	20	36"	10'	2
1"	20	48"	10'	4
1"	20	24"	5'	1
1"	20	36"	5'	1.5
1"	20	48"	5'	2

Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
2"	20	24"	150'	16
2"	20	36"	150'	23
2"	20	48"	150'	31
2"	20	60"	150'	38
2"	20	72"	150'	46
2"	20	24"	50'	5
2"	20	36"	50'	8
2"	20	48"	50'	10
2"	20	60"	50'	13
2"	20	72"	50'	15
2"	20	24"	25'	3
2"	20	36"	25'	4
2"	20	48"	25'	5



Aviary Netting

This galvanized woven fence is perfect for bird cages, topiary projects, temporary fence partitions and erosion control.

Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
½"	22	24"	100'	20
½"	22	36"	100'	30
½"	22	48"	100'	40
½"	22	72"	100'	66
½"	22	24"	50'	10
½"	22	36"	50'	16
½"	22	48"	50'	20
½"	22	24"	25'	5
½"	22	36"	25'	8
½"	22	48"	25'	10
½"	22	72"	25'	17


Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
½"	22	24"	10'	2
½"	22	36"	10'	3
½"	22	48"	10'	4
½"	22	24"	5'	1
½"	22	36"	5'	2

Hardware Cloth


Durable, multi-purpose mesh is ideal for garden, workshop, and home projects.
It is also used for gopher and erosion control. This product is galvanized before fabrication.

Hardware Cloth Available in 3 Mesh Sizes


2x2 Mesh
1/2" x 1/2"
Openings



4x4 Mesh
1/4" x 1/4"
Openings



8x8 Mesh
1/8" x 1/8"
Openings



Galvanized Hardware Cloth

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x2	19	24"	100'	46
2x2	19	36"	100'	68
2x2	19	48"	100'	88
2x2	19	72"	100'	132
2x2	19	24"	50′	23
2x2	19	36"	50′	34
2x2	19	48"	50′	44
2x2	19	24"	25′	11
2x2	19	36"	25′	17
2x2	19	48"	25′	22
2x2	19	24"	10'	4
2x2	19	36"	10'	6
2x2	19	48"	10'	8
2x2	19	24"	5'	2
2x2	19	36"	5'	3
2x2	19	48"	5'	4

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
4x4	23	24"	100'	46
4x4	23	36"	100'	66
4x4	23	48"	100'	87
4x4	23	24"	50'	23
4x4	23	36"	50′	33
4x4	23	48"	50′	43
4x4	23	24"	25'	11
4x4	23	36"	25′	16
4x4	23	48"	25′	22
4x4	23	24"	10'	3
4x4	23	36"	10'	5
4x4	23	48"	10'	7
4x4	23	24"	5'	2
4x4	23	36"	5'	3
4x4	23	48"	5'	3.5
8x8	27	24"	100'	32
8x8	27	36"	100'	50
8x8	27	48"	100'	70
8x8	27	48"	5'	3.5



Black PVC Hardware Cloth

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x2	19	24"	100'	46
2x2	19	36"	100'	68
2x2	19	48"	100'	88
4x4	23	24"	100'	46
4x4	23	36"	100'	68
4x4	23	48"	100'	90

T-Posts (Available in import or domestic)



All T-Posts are sold per piece and in 5-piece bundle increments. There are 40 bundles or 200 T-Posts per pallet. Each T-Post comes with 5 clips at no charge. All T-Posts are green with an ivory tip and have a 3-studded plate.

Code	Height
Hot Dipped Galvanized T-Post (1.25 lbs/ft)	
6TPHW125HDG	6′
66TPHW125HDG	6-1/2′
7TPHW125HDG	7′

Code	Height
Lightweight T-Post (.95 lbs/ft)	
5TPLWG	5′
56TPLWG	5-1/2′
6TPLWG	6′
66TPLWG	6-1/2′
7TPLWG	7′
8TPLWG	8′

Code	Height
Heavyweight T-Post (1.25 lbs/ft)	
5TPHW125G	5′
56TPHW125G	5-1/2′
6TPHW125G	6′
66TPHW125G	6-1/2′
7TPHW125G	7′
8TPHW125G	8′
9TPHW125G	9′
10TPHW125G	10′

Code	Height
T-Post (1.33 lbs/ft)	
5TP133G	5′
6TP133G	6′
66TP133G	6-1/2′
7TP133G	7′
8TP133G	8′
9TP133G	9′
10TP133G	10′

U Posts



All U-Posts are sold per piece in 5-piece bundle increments.
There are 15 bundles or 150 U-Posts per pallet.
All U-Posts are solid green.

Code	Height
U-Post	
3UP	3′
4UP	4′
5UP	5′
6UP	6′

Post Driver with Handle



Use this post driver with easy-to-grip handles to install any type of T-Post.

This post driver is 36″ in length, and at 22 lbs., it gets the job done.

Code	Description	Weight
POSTDRIVER	36" Post Driver	22

Rail-Steel Studded T-Posts

"Rail Steel" studded T-Posts



WSI rail posts are domestically made using high-carbon rail steel, offering unmatched strength and durability.

Each rail post is stamped with its weight to help your team easily identify and load the correct post for the job, streamlining the process. WSI uses 100% recycled rail steel, reflecting our commitment to sustainability, while our proprietary 3-studded "Secure-T Plate" ensures superior holding power for added reliability.

Posts are coated with an environmentally friendly water-based acrylic coating, and the paint is low VOC and HAPs-free, promoting a safer and cleaner environment.

For those seeking the highest industry standards, we offer ASTM-certified posts, all manufactured under the guidelines of ASTM standard A702, ensuring quality you can trust.

Code	*Height*
Lightweight T-Post Green (.95lbs/ft)	
5TPLWGS	5′
6TPLWGS	6′
66TPLWGS	6′6″
7TPLWGS	7′
8TPLWGS	8′
6TPLWRS	6′RED

Code	*Height*
Heavyweight T-Post (1.25 lbs/ft)	
5TPHW125GS	5′
56TPHW125GS	5-1/2′
6TPHW125GS	6′
66TPHW125GS	6-1/2′
7TPHW125GS	7′
8TPHW125GS	8′
10TPHW125GS	10′
6TPHW125RS	6' RED
66TPHW125RS	6-1/2' RED
7TPHW125RS	7' RED

Code	*Height*
T-Post GREEN (1.33 lbs/ft)	
56TP133GS	5′
6TP133GS	6′
66TP133GS	6-1/2′
7TP133GS	7′
8TP133GS	8′
9TP133GS	9′
10TP133GS	10′

Code	*Height*
T-Posts Galvanized (1.33 lbs/ft)	
6TP133GALV	6'
66TP133GALV	6-1/2'
7TP133GALV	7′

Keystone Steel & Wire

RED BRAND®

Red Brand® – Standing guard since 1889™.

"The most respected name in farm fence."

Other Red Brand® products are available for order but may not be stocking items. Please call for inquiries on any item not listed under the Red Brand® line of products.

Special Order Items:

- King Ranch® Fence
- Cross Lock® Fencing
- High Tensile Barb Wire
- Deer & Wildlife Fence

For a complete list of Red Brand fencing products,

please consult your BMD Full-Line Catalog

or log on to **www.redbrand.com**.

Red Brand® Barbed Wire

Available in different styles:

Ruthless® – 4-point barb style, 12-1/2 gauge, Class I galvanized, 5" barb spacing. Designed to confine the largest animals on the ranch.

Defender® – 2-point barb style, 12-1/2 gauge, Class I galvanized.

Description	*Gauge*	*Barb Style*	*Barb Spacing*	*Reel Length*	*Reel Weight*
50 Defender	12-1/2	2 pt.	4"	1,320'	78
80 Ruthless	12-1/2	4 pt.	5"	1,320'	83
Barbless Cable	12-1/2	n/a	n/a	1,320'	70



Red Brand® FENCE STAYS

Galvanized spiral fence stays keep barbed wire lines trim and evenly spaced.

Length	*Gauge*	*Stays Per Bundle*	*Bundle Weight*
36"	9½	100	35
42"	9½	100	40
48"	9½	100	46



Red Brand® Toughcoat™ Premium Fence Staples

Size	Gauge	Weight
40# PAIL		
1½"	8	40# PAIL
1¾"	8	40# PAIL
2"	8	40# PAIL


Size	Gauge	Weight
10# PAIL		
1½"	8	10# PAIL
1¾"	8	10# PAIL
2"	8	10# PAIL






KeepSafe® Horse Fence

Closely spaced, 2"x 4" diamond-mesh construction gives this fence linear strength and springy texture to protect horses from injury and prevent predators from entering paddocks and pastures.



Durable and Protective 2" x 4" Diamond Weave (V-Mesh)

Features heavy, twisted horizontal cables, each cable consisting of two wires on 4" spacing from ground to top. Vertical wires, securely wrapped around each horizontal cable, run diagonal to make a diamond pattern and thus form the strongest fence construction known. The wire is galvanized to avoid corrosion.



Red Brand® KeepSafe® Horse Fence

Class 1 (165' Rolls)

Style/Height	Horizontal Gauge	Vertical Gauge	Roll Weight
50"*	12½	14	253
58"	12½	14	294

*50" height by special order only

Red Brand® Field Fence

Field Fence is available in different heights with your choice of the Square Deal® Knot or the Monarch® Knot. An all-terrain graduated fencing, ideal for rolling, hilly areas, corrals and pastures.

Red Brand® Field Fence

– Monarch® Knot *(Hinge Joint)*

Class I / 10 gauge top and bottom wires (20 Rod Roll – 330')

Style#	Gauge	Fence Height	Roll Weight
939-6-12-1/2	12½	39"	169
1047-6-12-1/2	12½	47"	192

Red Brand® Field Fence

– Square Deal® Knot *(Stiff Stay)*

Class I / 10 gauge top and bottom wires (20 Rod Roll – 330')

Style#	Gauge	Fence Height	Roll Weight
832-6-12-1/2	12½	32"	148
939-6-12-1/2	12½	39"	169
1047-6-12-1/2	12½	47"	192

Multi-Use Woven Field Fence

Field Fence is available in different heights with your choice of the Square Deal® Knot or the Monarch® Knot.

An all-terrain graduated fencing, ideal for rolling hilly areas, corrals and pastures.



Red Brand® Field Fence

– Monarch® Knot *(Hinge Joint)*

Class I / 10 gauge top and bottom wires
(20 Rod Roll – 330')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
939-6-12-1/2	12½	39"	169
1047-6-12-1/2	12½	47"	192

Red Brand® Field Fence


– Square Deal® Knot *(Stiff Stay)*

Class I / 10 gauge top and bottom wires
(20 Rod Roll – 330')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
832-6-12-1/2	12½	32"	148
939-6-12-1/2	12½	39"	169
1047-6-12-1/2	12½	47"	192

"Non-Climb" Horse Fence

This closely woven 2"x 4" vertical mesh pattern has been specifically designed to prevent horses, cows or hoofed animals from "stepping through" or "walking down" the fence. Features the Square Deal® Knot.



Red Brand® Non-Climb Horse Fence

– Square Deal® Knot *(Stiff Stay)*

Class I / 10 gauge top and bottom wires.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
Red Brand (100' Rolls)			
1036-2-12-1/2	12½	36"	92
1348-2-12-1/2	12½	48"	120
1660-2-12-1/2	12½	60"	148
1972-2-12-1/2	12½	72"	177
Style#	*Gauge*	*Fence Height*	*Roll Weight*
Red Brand (200' Rolls)			
1348-2-12-1/2	12½	48"	240
1660-2-12-1/2	12½	60"	296
Style#	*Gauge*	*Fence Height*	*Roll Weight*
Red Brand Black (100' Rolls)			
1348-2-12-1/2	12½	48"	120
1660-2-12-1/2	12½	60"	148



Red Brand®
Deer &
Orchard Fence



Red Brand®
Non-Climb
Horse Fence




Yard, Garden
& Kennel Fence

Deer & Orchard Fence

This fence offers ideal protection against deer and elk, keeping predators out of orchards, vineyards and gardens.

The unique design has wider spacing at the top and closer spacing at the bottom, so fencing can't be penetrated by small animals.



Red Brand® Deer & Orchard Fence

Monarch® Knot *(Hinge Joint)*

Class I / 11 gauge top and bottom wires
(10 Rod Roll – 165')

Style#	*Gauge*	*Fence Height*	*Roll Weight*
2048-6-14-1/2	14½	48"	87
2360-6-14-1/2	14½	60"	101
2672-6-14-1/2	14½	72"	115

Yard, Garden & Kennel Fence

Yard, Garden & Kennel Fence

– Square Deal® Knot *(Stiff Stay)*

This 2" x 2" mesh safeguards yards, toddlers and pets. This fence is strong yet lightweight, making it ideal for kennel fencing.

Easy to handle and features the exclusive Square Deal® Knot.

Yard, Garden & Kennel Fence is an economical alternative to costly chain link fence.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
Red Brand (100' Rolls)			
1936-2-16	16	36"	51
2548-2-16	16	48"	66
3160-2-16	16	60"	83
3772-2-16	16	72"	104
Style#	*Gauge*	*Fence Height*	*Roll Weight*
Red Brand (50' Rolls)			
1936-2-16	16	36"	25
2548-2-16	16	48"	33

Galvanized Electric Fence Wire

It is ideal for adding extra security to existing systems for changeable confinement operations.

Galvanized for resistance to rust and corrosion. Available in handy dispensing spools.

Electric Fence Wire

Gauge	*Spool Length*	*Spools Per Carton*	*Carton Weight*
14	¼ Mile	2	44
14	½ Mile	2	88
17	¼ Mile	4	40
17	½ Mile	2	40

Sheep & Goat Fence

Unique 4" x 4" mesh spacing provides strong confinement and prevents animals from putting their heads through the fence. The exclusive Square Deal® Knot provides extra strength and rigidity while allowing flexibility for easy installation on flat or hilly terrain.



Red Brand® Sheep & Goat Fence

– Square Deal® Knot *(Stiff Stay)*


Style#	*Gauge*	*Fence Height*	*Roll Weight*
Class 1 (100' Rolls)			
1348-4-12-1/2	12½	48"	79
Class 1 (330' Rolls)			
1348-4-12-1/2	12½	48"	261

How to "Read" Red Brand

How to "Read" Red Brand® Fence

Look for the style number, which is a quick description of the important dimensions of the fence it classifies.

Example: Style #1047-6-12-1/2, 10 is the number of line wires in 47 inches of height, 6 is the spacing between each vertical stay wire measured in inches, 12-1/2 is the gauge of the wire.



"Knots" Make a Fence!

Many heavy gauge wire fence styles are made by "tying" sections of wire together with "knots." Red Brand uses two types of knots, each with a specific advantage in use.

RED BRAND® EXCLUSIVE SQUARE DEAL® KNOT

This construction prevents fence from buckling or sagging. It provides extra vertical strength and rigidity while allowing flexibility for ideal installation over hilly terrain. One-piece vertical stay wires are tied to line wires and crimped at the joint to prevent slippage.



UNIQUE MONARCH® KNOT

This knot acts as a hinge that gives under pressure, then springs back into shape. Monarch fence is easy to install because the hinge "gives." The fence always retains its full height for continuing protection and good looks. Vertical wires are individually cut and wrapped for maximum strength and flexibility.



Davis Wire Corporation –
Ranch Hand® Farm Fencing

Developing the West…
and Beyond

Other Davis Wire – Ranch Hand and Gold Brand products are available for order but may not be stocking items. Please call for inquiries on any items not listed under the Davis Wire – Ranch Hand/ Gold Brand line of products.

Special Order Items:

- High Tensile Field Fence
- Gold Brand Class 3 Field Fence
- Gold Brand Class 3 Stablemesh
- Baler Wire
- Vineyard Wire

For a complete list of Davis Wire fencing products, please consult your BMD Full-Line Catalog or log on to **www.daviswire.com**.

Barbed Wire

Ranch Hand is available in 2 pt. 5", 4 pt. 5" and barbless and made of galvanized steel to endure the tests of time and weather.



Ranch Hand® Barbed Wire
– Commercial Galvanized

Description	*Gauge*	*Barb Style*	*Barb Spacing*	*Reel Length*	*Reel Weight*
Ranch Hand	12-1/2	2 pt.	4"	1,320'	76
Ranch Hand	12-1/2	4 pt.	5"	1,320'	83
Barbless Cable	12-1/2	n/a	n/a	1,320'	68


Hinge Joint Field Fence

Ranch Hand®

– Field Fence *(Hinge Joint Knot)*

Commercial Galvanized
10 gauge top and bottom wires
(20 Rod Roll – 330')

Flexible Hinge Joint knot gives Ranch Hand® woven field fence its unique ability to spring back into shape.
Heavy livestock, falling tree limbs and fence-jumping critters like deer make this fence the rancher's first choice.





Style#	Gauge	Fence Height	Roll Weight
939-6-12-1/2	12½	39"	168
1047-6-12-1/2	12½	47"	190
1155-6-12-1/2	12½	55"	215



Stiff Stay Field Fence

Silverado

– Field Fence *(Stiff Stay Knot)*

Commercial Galvanized
10 gauge top and bottom wires
(20 Rod Roll – 330')

The Stiff Stay knot keeps its shape over hilly ground. Tough, sturdy construction stands up to impact from large animals without buckling or sagging. One-piece vertical stay wires are tied to line wires and crimped at the joints to prevent slippage.



Style#	Gauge	Fence Height	Roll Weight
832-6-12-1/2	12½	32"	148
939-6-12-1/2	12½	39"	168
1047-6-12-1/2	12½	47"	190




Deer and Rabbit Fence

Ranch Hand® Deer & Rabbit Fence

– *(Stiff Stay Knot)*

Commercial Galvanized
11 gauge top and bottom wires
10 Rod Roll – 165'

This fence keeps large and small predators out of gardens and orchards. Close spacing of line wires at the bottom of the fence keeps rabbits and other small animals away too. Stiff Stay knot gives Deer and Rabbit Fence extra rigidity, and the galvanized coating affords protection against corrosion.






Style#	Gauge	Fence Height	Roll Weight
2048-6-14-1/2	14½	48"	85
2360-6-14-1/2	14½	60"	99
2672-6-14-1/2	14½	72"	114



Stablemesh - Horse Fence

Traditional horse fence is woven with a Stiff Stay knot and is smooth on both sides to protect animals while keeping the fence rigid. Keeps valuable horses secure. Durable, galvanized construction lasts for years.







Ranch Hand® – Stablemesh

– Horse Fence (Stiff Stay Knot)
Commercial Galvanized
10 gauge top and bottom wires
100' Rolls

Style#	*Gauge*	*Fence Height*	*Roll Weight*
1036-2-12-1/2	12½	36"	96
1348-2-12-1/2	12½	48"	122
1660-2-12-1/2	12½	60"	151
1972-2-12-1/2	12½	72"	179

200' rolls are available in 4', 5' and 6' heights

Style#	*Gauge*	*Fence Height*	*Roll Weight*
1348-2-12-1/2	12½	48"	244
1660-2-12-1/2	12½	60"	302
1972-2-12-1/2	12½	72"	358

RANGEMASTER®

RELIABLE, SUSTAINABLE FENCING

RANGEMASTER provides reliable farm and ranch fencing products designed to save you time, labor, and money without sacrificing quality. Offering various types of farm and ranch fence supply products, RANGEMASTER stands up to even the toughest of livestock and weather.

For a complete list of RANGEMASTER fencing products, please consult your BMD Full-Line Catalog or log on to **www.rangemasterfence.com**.



RANGEMASTER – Horse Fence

12-1/2-gauge Class 1 woven-wire fencing with 2"x4" openings to safely secure horses, cows and other valuable animals. Features Stiff-Stay knot design. Made with Class 1 protective coating to ensure long life. Pre-stripped roll ends provide 18" wire tails for faster and cleaner installation on end posts and in-line splicing.


Style#	*Gauge*	*Fence Height*	*Roll Weight*
1348-2-12-1/2 48" HORSE FENCE	12.5	48"	116
1660-2-12-1/2 60" HORSE FENCE	12.5	60"	143
1972-2-12-1/2 72" HORSE FENCE	12.5	72"	170
1348-2-12-1/2 48" HORSE FENCE x 200'	12.5	48"	231
1660-2-12-1/2 60" HORSE FENCE x 200'	12.5	60"	285
1972-2-12-1/2 72" HORSE FENCE x 200'	12.5	72"	343



RANGEMASTER – Sheep & Goat Fence

12-1/2 gauge Class 1 wire woven fencing with 4" x 4" openings, an optimal opening for all your non-equestrian animals that tend to climb or have horns which can get stuck in larger traditional fencing patterns.
Features Stiff-Stay knot design. Made with Class 1 protective coating to ensure long life. Pre-stripped roll ends provide 18" wire tails for faster and cleaner installation on end posts and in-line splicing.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
48" (4x4) STIFF STAY-**100'** SHEEP & GOAT	12.5	48"	76
48" (4x4) STIFF STAY- **330'** SHEEP & GOAT	12.5	48"	251



RANGEMASTER – Hinge Joint Deer Fencing

Graduated 71" tall pattern with 25 horizontal line wires and 6" vertical spacing to keep predators out of gardens and orchards. Closer spacing at the bottom for small critters and larger openings at the top for deer. Hinge joint design to aid installation in rough terrain. Commercial coated galvanized wires for long-lasting performance. 165' roll length.

Also stocked in 58" tall with 21 horizontal line wires.

Style#	*Gauge*	*Fence Height*	*Roll Weight*
2571-6-14-1/2 GA 71" Hinge Joint Fence	14.5	71"	113

RANGEMASTER – HINGE JOINT FIELD FENCE 330' ROLLS

Style#	*Gauge*	*Fence Height*	*Roll Weight*
832-6-12-3/4 GA X 330'	12.75	32"	133
939-6-12-3/4 GA X 330'	12.75	39"	153
1047-6-12-3/4 GA X 330'	12.75	47"	172

RANGEMASTER COMMERCIAL COATED BARBED & BARBLESS WIRE

Style#	*Gauge*	*Fence Height*	*Roll Weight*
2 PT COMMERCIAL 5" SPACING #7125	14.5	N/A	69
4 PT COMMERCIAL 5" SPACING #7126	14.5	N/A	77
BARBLESS 14 GA COMMERCIAL #7233	14	N/A	40



BEKAERT
better together

Build a better, longer lasting fence with Bekaert.

Other Bekaert products are available for order but may not be stocking items. Please call for inquiries on any item not listed under the Bekaert line of products.

Special Order Items:

- High Tensile Field Fence
- Fixed Knot Cattle Fence
- Fixed Knot Field Fence
- Fixed Knot Horse Fence
- DOT Fencing Products

For a complete list of Bekaert fencing products, please consult your BMD Full-Line Catalog or log on to **www.fencing.bekaert.com**.

Barbed Wire

Cattleman® 14g Barbed Wire
Class 3 Galvanized

This product is perfect for the most demanding fence jobs. This product is Class 3 galvanized which will last 3 times longer and is 30% stronger than Class 1 12.5ga low carbon fencing and 15.5ga high tensile wire.



Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
2 Pt Hi Strength	14ga	2 pt.	5"	1,320'	80
4 Pt Hi Strength	14ga	4 pt.	5"	1,320'	89

High Tensile Wire

High Tensile Smooth Wire
Class 3 Galvanized

This product is made of high tensile steel wire. This means we can use a smaller diameter wire while maintaining the same strength as conventional barbed wire. This product is also made with Class 3 galvanized coating which is proven to last three times longer than Class 1.

Gauge	PSI	Length	Coil Weight
12.5ga	170K	2,000'	53
12.5ga	170K	4,000'	100



Gaucho® Barbed Wire
Class 3 Galvanized

This product is made of high tensile steel wire. This means we can use a smaller diameter wire while maintaining the same strength as conventional barbed wire. This product is also made with Class 3 galvanized coating which is proven to last three times longer than Class 1.



Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
2 Pt Hi-Tensile	15½	2 pt.	5"	1,320'	41
4 Pt Hi-Tensile	15½	4 pt.	5"	1,320'	42

Bezinal Double Cut Barbed Staples

Made from premium 8 ga. Bezinal® coated wire, these Barbed Fence Staples feature double barbs to maintain fastening and provide easy driving. Shorter staple lengths are suitable for hardwood posts, while longer staple lengths are suitable for softwood posts.



Size	Gauge	Weight
8# PAIL		
1-1/2"	8	8# Pail
1-3/4"	8	8# Pail
2"	8	8# Pail

Size	Gauge	Weight
50# PAIL		
1-1/2"	8	50# Pail
1-3/4"	8	50# Pail
2"	8	50# Pail

Bekaert DOT Class 3
Barbed Wire

12.5 ga 4-Point 5" Spacing Standard Barbed Wire (C3 DOT) is designed for DOT projects, offering reliable security and meeting the necessary industry standards. This low carbon wire with a Class 3 coating provides enhanced corrosion resistance, making it a solid choice for infrastructure and public works applications.



Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
2 Pt DOT CL3	12½	2 pt.	5"	1,320'	80
4 Pt DOT CL3	12½	4 pt.	5"	1,320'	89
Barbless DOT CL3	12½	N/A	N/A	1,320'	66

Field Fence

Hinge Joint Field Fence

Field Fence is offered in a wide variety of heights and styles that feature graduated spacing that starts with narrow openings at the bottom which prevents the entry of small animals. The hinge joint knot is designed to give under pressure and spring back into shape with added flexibility and strength. The wire crimps allow the fence to expand and contract in order to withstand everything from corralling your precious investment to standing up to the most severe weather conditions. Our field fences ensure a solid construction on all terrains.







Style#	Gauge	Fence Height	Roll Length	Roll Weight
939-6-12-1/2	12½	39"	330'	170
1047-6-12-1/2	12½	47"	330'	194

Horse Fence

High Strength 12.5/13.5ga ZA (Zinc Aluminum) Gaucho® Horseman 30

Stronger than a speeding horse, our High Strength Horse Fence relies on its mesh design and high tensile wire to provide safe, humane containment for your horse, llama, alpaca, sheep, goat, and ostrich/emu.

Our non-climb 2" by 4" openings are meant to deter animals from putting their heads and hooves through the fence and causing harm. The S-Knot design protects your animals' skin from harm as well. The high tensile material is 40% stronger than standard low carbon wire, providing functionality for years to come.

Treated with our industry-leading Bezinal® hybrid zinc-aluminum coating that meets or exceeds industry standards, our High Tensile Gaucho® Horse Fence carries a Limited Guarantee of 30 years. Our Gaucho® High Strength Horse Fence products meet or exceed the following ASTM standards: ASTM A116, ASTM A856 (Bezinal®)





Style#	Gauge	Fence Height	Roll Length	Roll Weight
1348-2-12-1/2	12.5/13.5 Bezinal	48"	100'	109
1660-2-12-1/2	12.5/13.5 Bezinal	60"	100'	136
1972-2-12-1/2	12.5/13.5 Bezinal	72"	100'	162

Black High Strength 12.5/13.5ga ZA (Zinc Aluminum) Plus Paint Gaucho® Horseman 40

Bekaert's Gaucho® High Strength wire material is 40% stronger than traditional wires. The unique 13.5 gauge vertical stay wires reduce roll weight while increasing overall strength over traditional low carbon wires resulting in less elongation during and after installation. The unique ZA+ Paint is the industry's best and longest-lasting finish. The black wires blend extremely well with landscaping to provide you with an enhanced view and exceptional appearance of your property as well.





Style#	Gauge	Fence Height	Roll Length	Roll Weight
1348-2-12-1/2	12½	48"	100'	109
1660-2-12-1/2	12½	60"	100'	136
1972-2-12-1/2	12½	72"	100'	162

High Tensile Wire

Gaucho® High Tensile Game Fence

This product combines the familiar hinge joint knot with high tensile steel. This means Gaucho® is significantly stronger and installs faster with fewer posts. Plus, using Gaucho® means reduced sagging and less maintenance. This product is Class 3 galvanized for a longer fence life.





Style#	Gauge	Fence Height	Roll Length	Roll Weight
1478-6-12-1/2	12½	78″	330'	266

High Tensile Fixed Knot

Solidlock® Game Fence

The fixed knot design combined with high tensile wire makes Solidlock® the strongest woven wire fence you can buy. This design locks the line wire and stay wire together, giving you maximum strength. Plus, Solidlock®'s use of high tensile wire and solid vertical stays means little to no maintenance so you can spend less time worrying about your fence, regardless of whether you want to keep animals in or out.





Style#	Gauge	Fence Height	Roll Length	Roll Weight
1775-6-12-1/2	12½	75"	330'	327
2096-6-12-1/2	12½	96"	330'	396

Black Bezinal Solid Lock Game Fence

Style#	Gauge	Fence Height	Roll Length	Roll Weight
2096-6-12-1/2	12½	96"	330	396

ZA (Zinc Aluminum) Fence

Made from the same high tensile steel as the industry leading Solidlock® Fixed Knot fence. The use of high strength wire means that our fence is not only stronger but also easier to install because of its lighter weight, and it requires fewer posts during installation than low carbon fencing. Once properly installed, high tensile fixed knot fences remain tight for years and require very little maintenance.






Style#	Gauge	Fence Height	Roll Weight
ZA 165' Roll			
1478-6-14ga	14	78"	105
1690-6-14ga	14	90"	122
ZA 330' Roll			
1478-6-14ga	14	78"	210
1690-6-14ga	14	90"	241


What Is High Tensile Wire?

Agricultural fencing consists of low carbon wire or high tensile wire. Low carbon wire is made from steel rod with carbon content of approximately 0.06-0.08%. This type of wire is easy to work with and somewhat forgiving. However, it is prone to elongation (stretching and sagging) and the strength is low when compared to high tensile wire.

High tensile wire is made with higher carbon steel. The carbon content of this product is approximately 0.28%. This increased carbon content significantly increases the wire's strength and reduces elongation. This allows you to use a smaller diameter high tensile wire to replace a thicker low carbon wire. Once properly installed, high tensile fences remain tight for years and require very little maintenance.

You can build a longer-lasting, low-maintenance fence for nearly half the price of a conventional low carbon fence.






Class 1, Class 3, Bekaert ZA and ZA+ Paint.

Class 1 galvanized coating is the protective coating used on standard fence wire. Class 1 is the basic coating used, but doesn't last as long as our other coatings. A more effective alternative to Class 1 coating is Class 3 galvanized coating.

Class 3 galvanized coating is the standard on all of our brand name products. This coating is approximately 2.5 times thicker than the industry-standard Class 1 galvanized coating. Bekaert Class 3 products ensure a longer life with a heavier coating that protects against environmental elements. Our Class 3 products all meet or exceed ASTM A-121 standards.

ZA is our new zinc-aluminum hybrid coating, (95% Zn, 5% Al) developed and produced exclusively by Bekaert. This coating lasts 3 times as long as Class 1. The ZA coating lasts the same as Class 3 galvanized wire, but uses less coating to save you money.



New! ZA+ Paint Coating, the latest addition to our line of coatings is our new painted finishes which combine a color polymer paint with our ZA coated wire to give you longer fence life in attractive colors. This coating is designed for maximum protection in even the most corrosive environments.

WESTERN SQUARE
INDUSTRIES

All Western Square products are manufactured using the highest quality materials available, and are powder coated with Tuff Guard Powder Coating to ensure years of corrosion resistance. (With the exception of the galvanized gates).

Other Western Square products are available for order but may not be stocking items. Please call for inquiries on any item not listed under the Western Square line of products.

Special Order Items:

- Rocky Mountain Panels & Gates
- Green River Panels & Gates
- Feeders
- Cattle Guards
- Deer Gates

For a complete list of Western Square products, please consult your BMD Full-Line Catalog or log on to **www.westernsquare.com**.

Gates

Galvanized Five Panel

Specifications:

Height: 52"
Rails: Five Roll-formed Galv. Sheet-Metal Panels
Latch: Easy Slide Latch
Hinges: 5/8" x 4-1/2" Lag Screw

Item Code	Length
4PANEL	4'
6PANEL	6'
8PANEL	8'
10PANEL	10'
12PANEL	12'
14PANEL	14'
16PANEL	16'




Silverado Economy Five Rail - Silver Powder Coated

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod

Item Code	Length
4TUBE	4'
6TUBE	6'
8TUBE	8'
10TUBE	10'
12TUBE	12'
14TUBE	14'
16TUBE	16'




Silverado Economy Five Rail
- Evergreen Powder Coated

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod

Item Code	Length
G4TUBE	4'
G6TUBE	6'
G8TUBE	8'
G10TUBE	10'
G12TUBE	12'
G14TUBE	14'
G16TUBE	16'




Silverado Rancher
Hog Wire Filled - Silver Powder

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Wire: Graduated
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod

Item Code	Length
4GRADWRGATE	4'
6GRADWRGATE	6'
8GRADWRGATE	8'
10GRADWRGATE	10'
12GRADWRGATE	12'
14GRADWRGATE	14'
16GRADWRGATE	16'




Silverado Super Rancher (4"x2")
Wire Mesh Filled
- Evergreen Powder Coated

Specifications:

Height: 48"
Rails: 1-5/8" Round Tube
Wire: (4"x 2") Wire Mesh
Gauge: 20 Gauge Tube
Latch: 30", 3/16" Welded Chain
Hinges: 5/8" x 12" Threaded Rod

Item Code	Length
4WRGATE	4'
6WRGATE	6'
8WRGATE	8'
10WRGATE	10'
12WRGATE	12'
14WRGATE	14'
16WRGATE	16'




Handmade

12 Gauge Hinge
5/8, 7.8-12" Threaded Rod
Designed for easy installation and continued leveling ability.



Superior adjustment for all types of installations. Superior strength in older, more porous/decaying posts. Fully assembled, no hardware box to fumble through on the job. Western Square is the only manufacturer to provide this system on gates.



Gates

Green River Stock Gate*

Specifications:

Height: 52"
Frames: 1-5/8", 14 Gauge Rounded Tube
Rails: Heavy Duty Five-Sided Roll-formed Tube
Gate Hinge: 7/8" by 12" Threaded Rod
Latch: Double Throw Lever Latch

Item Code	Length
4GREENRIVER	4'
6GREENRIVER	6'
8GREENRIVER	8'
10GREENRIVER	10'
12GREENRIVER	12'
14GREENRIVER	14'
16GREENRIVER	16'

**Special Order Only*



The Deer Gate*
- Evergreen Powder Coated
8' Height Extendable

Specifications:

Height: 72"
Rails: 1-5/8" Round Tube
Gauge: 18 Gauge Tube
Hinges: 5/8" x 12" Threaded Rod
Extension: 24" 1-3/8" Round Tube

Item Code	Length
4DEERGATE	4'
6DEERGATE	6'
8DEERGATE	8'
10DEERGATE	10'
12DEERGATE	12'

**Special Order Only*




The Deer Gate*
- Evergreen Powder Coated
7' Solid Top Bar

Specifications:

Height: 84"
Rails: 1-5/8" Round Tube
Gauge: 18 Gauge Tube
Hinges: 5/8" x 12" Threaded Rod
Extension: 24" 1-3/8" Round Tube

Item Code	Length
SB4DEERGATE	4'
SB6DEERGATE	6'
SB8DEERGATE	8'
SB10DEERGATE	10'
SB12DEERGATE	12'

**Special Order Only*



Poly Fencing

Silt Fence

The woven geotextile used on Tenax Silt Fence is designed to filter out sediment from construction site runoff, yet allow clean water to pass through. Tenax Silt Fence is pre-assembled with hardwood stakes securely attached at 10-foot intervals and packaged in 100-lineal-foot rolls.

Item Code	Description	Roll Weight
3100SF	36″ x 100′ Silt Fence	23




Orange Barrier Safety Fence



Item Code	Description	Roll Weight
4100OSF	4' x 100' Orange Barrier Fence	N/A
450OSF	4' x 50' Orange Barrier Fence	N/A

Green Barrier Safety Fence



Item Code	Description	Roll Weight
4100GSF	4' x 100' Green Barrier Fence	N/A
450GSF	4' x 50' Green Barrier Fence	N/A

Black Poly Deer Fence

Tenax Deer Fence is manufactured with Tenax's exclusive round tensile structure. It is available in select, premium and professional grades. Tenax Deer Fence can be used as a barrier to control deer around yards or gardens. It's virtually invisible and naturally blends into the landscape.

Item Code	Description	Roll Weight
BPDF712100	7-1/2' x 100' Black Poly Deer Fence	20
BPDF712330	7-1/2' x 330' Black Poly Deer Fence	48



The OK Brand Promise 100% American Melted — American Made.

Other Oklahoma products are available for order but may not be stocking items. Please call for inquiries on any items not listed under the Oklahoma line of products.


Special Order Items:

- Max-Tight Horse Fence, Field Fence and High Tensile Field Fence
- Sheep and Goat Fence
- Game Fence
- Baler Wire
- Barbed Wire
- Specialty Welded Fence Panels

For a complete list of Oklahoma fencing products, please consult your BMD Full-Line Catalog or log on to **www.okbrandwire.com**.

Stockade Panels

Item Code	*Item Description*	*UoM*
HANDY PANEL 1050 - 8 - 4/5 GAUGE - 8' LONG		
HANDYPANEL	10 Line Wires in 50" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece





Item Code	*Item Description*	*UoM*
HORSE PANEL 1660 - 2 - 6 GAUGE - 16' LONG		
HORSEPANEL	16 Line Wires in 60" Height (4"x 2") Pattern 25 Pieces Per Bundle	Piece






Stockade Panels


Item Code	Item Description	UoM
CATTLE PANEL 1660 - 4 - 4 GAUGE - 16' LONG		
CATTLEPANEL	16 Line Wires in 60" Height (4"x 4") Pattern 50 Pieces Per Bundle	Piece

Item Code	Item Description	UoM
UTILITY PANEL 1660 - 4 - 6 GAUGE - 16' LONG		
UTILITYPANEL	16 Line Wires in 60" Height (4"x 4") Pattern 50 Pieces Per Bundle	Piece






Item Code	Item Description	UoM
UTILITY RAIL PANEL 1036 - 4 - 6 GAUGE - 8' LONG		
UTILITYRAILPANEL	10 Line Wires in 36" Height (4" x 4") Pattern 25 Pieces Per Bundle	Piece






Hog Panels

Item Code	Item Description	UoM
HOG PANEL 1134 - 8 4/5 GAUGE		
HOGPANEL	11 Line Wires in 34" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece






Item Code	Item Description	UoM
RANCH PANEL 1050 - 8 4/5 GAUGE		
RANCHPANEL	10 Line Wires in 50" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece





Hog Panels

Item Code	Item Description	UoM
ECONO PANEL 1350 - 8 4/5 GAUGE - 16' LONG		
ECONOPANEL	13 Line Wires in 50" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece





HUTCHISON HW BRAND

BIG TOP STOCK TANKS ARE BUILT TO LAST!

One-piece sidewall of 20 gauge galvanized steel formed and rolled around 1-1/4" galvanized steel tube creating the heavy top ring.

Both metals formed together, resulting in 14 gauge equivalent layers of galvanized metal for superior size and strength.

- 20 gauge galvanized metal
- Locked, swaged, corrugated, welded and sealed
- Tank features fully seamed Pittsburgh lock bottom
- Sidewalls vertically double welded, swaged and corrugated

Welded Sidewall Seam

Exclusive welded seam joins one-piece vertical galvanized steel sidewall

Two-Piece Drain Plug

Quality drain with watertight screw-clamp fittings

Hutchison® HW Brand - Stock Tanks



Item Code	Item Description	Gallons
RE223	2'X2'X3' ROUND END WITH PLUG (3/BD)	72
RE224	2'X2'X4' ROUND END WITH PLUG (3/BD)	100
RE225	2'X2'X5' ROUND END WITH PLUG (3/BD)	128
RE226	2'X2'X6' ROUND END WITH PLUG (3/BD)	156



Item Code	Item Description	Gallons
ST213	2'X1'X3' ROUND END WITH PLUG (3/BD)	32
ST214	2'X1'X4' ROUND END WITH PLUG (3/BD)	47
ST215	2'X1'X5' ROUND END WITH PLUG (3/BD)	59
ST216	2'X1'X6' ROUND END WITH PLUG (3/BD)	70



Item Code	Item Description	Gallons
R32	3' ROUND STOCK WITH PLUG (3/BD)	80
R34	4' ROUND STOCK WITH PLUG (3/BD)	170
R52	5' ROUND STOCK WITH PLUG (3/BD)	275



36" Round Planter

Perfect for fire containment and safety at the campsite or even a bottomless planter. One-piece sidewall of 22 gauge galvanized steel formed and rolled around 1 1/8" galvanized steel tube creating the heavy top ring. There is no bottom or plug on the ring.

Item Code	Item Description
36RNDPLNTR	3' ROUND STOCK NO PLUG

BMD’s wood posts and pointed tree stakes are smooth and uniform in diameter from tip to butt. Made from softwood species to better absorb chemical treatments.

Wood Post Usages:

- End Post-Brace
- Line Post Brace
- Gate Entrance/Exit Brace
- Changes in Terrain
- Splices in Wire Fencing
- Animal Protection - Alternative to Metal T-Post

For a complete list of products, please consult your BMD Full-Line Catalog or log on to **www.bmdusa.com**.


Pointed Tree Stakes

Diameter	*Length*	*Pcs / Unit*
2.5"	8’	225



Treated Doweled Posts

Diameter	*Length*	*Pcs / Unit*
4"	8'	105
5"	8'	60
6"	8'	46
4.5"	10'	40
5.5"	10'	50
6.5"	10'	40



WESTERN FENCING

BMD

For over 80 years, BMD has been known for its integrity, quality and unmatched service.
This line of fencing wire is just one more way BMD is providing quality solutions to our customers.

In addition to our Western Fencing line, BMD continues to carry other brand-name agricultural products.

DW · BEKAERT better together · CK · W. SILVER, INC · RED BRAND · TENAX · RANGEMASTER · WESTERN SQUARE INDUSTRIES



Please give us a call today and let us know how we can help meet your fencing needs.

Welded Wire
Poultry Netting
Hardware Cloth
Aviary Netting
Gopher Wire
Tomato Wire

Building Material Distributors, Inc.
Phone: 800-447-0397
Fax: 800-611-9863
http://www.bmdusa.com/bmd-brands/western-fencing

Notes

BMD

EMPLOYEE OWNED. BUILDING PARTNERS.

DISTRIBUTION

CORPORATE HEADQUARTERS

225 Elm Avenue, Galt, CA 95632

800-356-3001

www.bmdusa.com