

Pocket Fence Catalog

BMD Brand Fencing Your Total Fencing Source





BMD Brand Fencing Your Total Fencing Source

To serve all your fencing needs, BMD also distributes these widely recognized, quality brand names:

> Keystone Steel & Wire Red Brand[®]

Davis Wire Corporation Ranch Hand[®]

Bekaert Corporation High Tensile Fencing

> Western Square Gates

Tenax Poly Plastic Fence

Oklahoma Steel Stockade Panels





http://www.bmdusa.com/bmd-brands/western-fencing

Table of Contents

Western Fencing

Guide to Easy Fence Selection	3
Acreage Guide	4
Acreage Table	5
Western Fencing Displays	6
Welded Wire	7
PVC Coated Welded Wire	8
Tomato Wire	9
Gopher Wire	9
Poultry Netting	10
Aviary Netting	11
Black PVC Hardware Cloth	12
Hardware Cloth	13
T-Posts & U-Posts	14
Barb Wire	15
Post Driver	15

Keystone Steel & Wire

Red Brand [®] Barbed Wire	17
Red Brand [®] Fence Stays	17
Red Brand [®] Fence Staples	17
KeepSafe [®] Horse Fence	18
How to "Read" Red Brand [®] Fence	19
Multi-Use Woven Field Fence	20
Red Brand [®] "Non-Climb" Fence	21
Red Brand [®] Deer & Orchard	22
Yard, Garden & Kennel Fence	22
Galvanized Electric Fence Wire	23
Sheep & Goat Fence	23

Davis Wire Corporation

Barbed Wire	26
Hinge Joint Field Fence	27
Stiff Stay Field Fence	28
Deer & Rabbit Fence	29
Stablemesh – Horse Fence	30

DeAcero Rangemaster Fencing

Rangemaster - Horse Fence	31
Rangemaster - Sheep & Goat	31
Rangemaster - Deer Fence	31



Bekaert

Hinge Joint Field Fence	32
"S" Knot Horse Fence	32
High Strength Horse Fence	33
Black Bezinal Horse Fence	33
Barbed Wire	34
Cattleman Barbed Wire	34
Hi Tensile Smooth Wire	34
Barbed Wire - Gaucho°	35
Bezinal Barbed Staples	35
Gaucho Hi-Tensile Game Fence	35
Solidlock [®] Hi-Tensile Game Fence	36
Black Bezinal Game Fence	36
Zinc Aluminum Game Fence	36
Fixed Knot Product Details	37
What is High Tensile Wire	38
Western Square	
Gates	40-42
Tenax	
Plack Paly Dear Force	43
Black Poly Deer Fence Silt Fence	43
SILTERCE	45
Oklahoma Steel	
Stockade Panels	44-46

Hutchison HW

Hutchison Western "BIG LIP" Stock Tanks	47-48
· Round 2' Deep	
· Oval 2' Deep	
· Oval 1' Deep - Sheep	

BMD

Tree Stakes	50
Dowelled Posts	50

Guide to Easy Fence Selection

There are many types of fence and each is meant to perform a specific job. This guide will help you select the best fence to serve your needs.

Mesh Design

Fencing is constructed by forming the wire into uniform patterns called "mesh." Each mesh design has been refined through years of experience and use.

SQUARED MESH

Consists of wires welded to form a squared or rectangular pattern. This mesh is available in many mesh patterns and various gauges and is galvanized before it is welded.

HEXAGONAL MESH

Consists of lightweight wire that is woven to form a hexagon pattern. This mesh is available in 4 different sizes and is galvanized before it is woven.


Wire Gauge

Fencing is made from various gauges of wire – from very heavy to very light. The chart below shows you the size of each gauge (Ga.) of wire used in making fencing. Notice that as the gauge size gets larger, the wire size gets smaller.



Acreage Guide

Use this diagram to calculate the number of rods/footage of fence required to enclose fields of different sizes.



1 rod = 16-1/2 ft. 10 rods = 165 ft. 20 rods = 330 ft. 1/4 mile = 1,320 ft. or 80 rods 1/2 mile = 2,640 ft. or 160 rods 1 mile = 5,280 ft. or 320 rods

Acreage Table

Acres	Fence 20 Rod Rolls	Fence 100 Ft. Rolls	Barb Wire 80 Rod Rolls 1 Strand
1	3	9	1
2	4	12	1
3	5	15	1
4	5	17	2
5	6	19	2
6	7	21	2
7	7	22	2
8	8	24	2
9	8	25	2
10	8	25	2
11		28	2
	8		
12	9	29	3
13	10	31	3
14	10	31	3
15	10	33	3
16	11	34	3
17	11	35	3
18	11	36	3
19	11	37	3
20	12	38	3
25	13	42	4
30	14	46	4
35	15	50	4
40	16	53	4
45	17	56	5
50	18	60	5
55	19	62	5
60	20	65	5
65	20	68	6
70	22	70	6
75	22	73	6
80	22	75	6
85	24	77	6
90	24	80	6
95	25	82	7
100	26	84	7
105	26	86	7
110	27	88	7
115	28	90	7
120	28	92	7
125	28	94	7
150	31	103	8
175	34	111	8
200	36	118	9
225	38	126	10
250	40	132	10
275	42	139	11
300	44	145	11
325	46	151	12
350	48	157	12
375	49	162	12
400	51	162	13
400	53	173	13
	53		13
450		177	
475	56	182	14

This table helps calculate the number of rolls required to enclose various acreage sizes. These are suggested guidelines.


Western Fencing Displays

BMD is proud to present the Western Fencing Display Rack. This sleek design will help your customers find all of their fencing needs fast and effectively. Along with our superior fencing products, BMD provides marketing support and POP solutions for all of our stocking customers.



Garden Fence Tomato Wire Poultry Netting Aviary Netting Hardware Cloth Gopher Wire U-Posts

Actual Size: 48" x 36"



Welded Wire

Welded Wire (General Purpose Fabric) is a multi-purpose fence used for all types of farm and home applications. Some of the popular usages include cages, livestock panels, garden fencing and temporary pens. Solid welded construction ensures a sturdy fence design.

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x4	121⁄2	36"	100'	72
2x4	121/2	48"	100'	96
2x4	121/2	60"	100'	119
2x4	121/2	72"	100'	141
2x4	121/2	36"	50'	38
2x4	121⁄2	48"	50'	49
2x4	121⁄2	60"	50'	62
2x4	121/2	72"	50'	73
1x2	14	18"	100'	47
1x2	14	24"	100'	62
1x2	14	36"	100'	94
1x2	14	48"	100'	122
1x2	14	60"	100'	155
1x2	14	72"	100'	186
1x1	14	24"	100'	84
1x1	14	36"	100'	125
1x1	14	48"	100'	164
2x4	14	36"	100'	48
2x4	14	48"	100'	64
2x4	14	60"	100'	80
2x4	14	72"	100'	96
2x4	14	36"	50'	24
2x4	14	48"	50'	32
2x4	14	60"	50'	40
2x4	14	72"	50'	48
1⁄2x1	16	24"	100'	76
½x1	16	36"	100'	114
½x1	16	48″	100'	151
1x1	16	36"	100'	75
1x1	16	48"	100'	101
2x2	16	48"	100'	52
2x2	16	60"	100'	64
2x3	16	36"	50'	76
2x3	16	48"	50'	87



Green & Black PVC Welded Wire

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x4	14	48″	100'	64
2x4	14	60″	100'	80
2x4	14	72″	100'	96
2x4	14	36″	50'	24
2x4	14	48″	50'	32
2x4	14	60″	50'	40
2x4	14	72″	50'	48

Garden Fence (Green Vinyl Coated)

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x2½	16	24"	25'	9
2x2½	16	36"	50'	19
2x2½	16	48"	50'	26




Tomato Wire

This product provides support and stabilizes heavy tomato plants. It prevents plant sprawl and provides easy access to fruit. The 20' length of this product makes 4 cylindrical cages.

Mesh Spacing	Gauge	Roll Height	 Roll Length	Roll Weight
4хб	16	48"	20'	6
4x6 Mesh 4"x 6" Openings				

Gopher Wire

This galvanized woven fence is gopher exclusion for your plants, trees and lawns. It can also be used as a barrier for erosion control, topiary projects and temporary fence partitions.





Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
3⁄4"	20	24"	100'	20
3⁄4"	20	36"	100'	29
3⁄4"	20	48"	100'	39
3⁄4"	20	60"	100'	48
3⁄4"	20	24"	25'	5
3⁄4"	20	36"	25'	7
3⁄4"	20	48"	25'	10

9

This fencing is ideal for poultry and pet pens, and many other home and garden projects. It provides predatorproof protection for domestic fowl and gardens.

Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
1"	20	12"	150'	18
1"	20	18"	150'	24
1"	20	24"	150'	32
1"	20	36"	150'	46
1"	20	48"	150'	62
1"	20	60"	150'	77
1"	20	72"	150'	92
1"	20	12"	50'	6
1"	20	18"	50'	8
1"	20	24"	50'	11
1"	20	36"	50'	15
1"	20	48"	50'	21
1"	20	60"	50'	26
1"	20	72"	50'	31
1"	20	24"	25'	5
1"	20	36"	25'	8
1"	20	48"	25'	10
1"	20	24"	10'	2
1"	20	36"	10'	2
1"	20	48"	10'	4
1"	20	24"	5'	1
1"	20	36"	5'	1.5
1"	20	48"	5'	2
2"	20	24"	150'	16
2"	20	36"	150'	23
2"	20	48"	150'	31
2"	20	60"	150'	38
2"	20	72"	150'	46
2"	20	24"	50'	5
2"	20	36"	50'	8
2"	20	48"	50'	10
2"	20	60"	50'	13
2"	20	72"	50'	15
2"	20	24"	25'	3
2"	20	36"	25'	4
2"	20	48"	25'	5

Aviary Netting

This galvanized woven fence is perfect for bird cages, topiary projects, temporary fence partitions and erosion control.

Hex Opening	Gauge	Roll Height	Roll Length	Roll Weight
1⁄2"	22	24"	100'	20
1⁄2"	22	36"	100'	30
1⁄2"	22	48"	100'	40
1⁄2"	22	72"	100'	66
1⁄2"	22	24"	50'	10
1⁄2"	22	36"	50'	16
1⁄2"	22	48"	50'	20
1⁄2"	22	24"	25'	5
1⁄2"	22	36"	25'	8
1⁄2"	22	48"	25'	10
1/2"	22	72"	25'	17
1⁄2"	22	24"	10'	2
1/2"	22	36"	10'	3
1⁄2"	22	48"	10'	4
1⁄2"	22	24"	5'	1
1⁄2"	22	36"	5'	2



Hardware Cloth

Durable, multi-purpose mesh is ideal for garden use, workshop and home projects. It is also used for gopher and erosion control. This product is galvanized before fabrication.

Hardware Cloth Available in 3 Mesh Sizes

2x2 Mesh 1/2" x 1/2" Openings

4x4 Mesh 1/4" x 1/4" Openings

8x8 Mesh 1/8" x 1/8" Openings

1				
Г				



Black PVC Hardware Cloth

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x2	19	24"	100'	46
2x2	19	36"	100'	68
2x2	19	48"	100'	88
4x4	23	24"	100'	46
4x4	23	36"	100'	68
4x4	23	48"	100'	90

Galvanized Hardware Cloth

Mesh Spacing	Gauge	Roll Height	Roll Length	Roll Weight
2x2	19	24"	100'	46
2x2	19	36" 100'		68
2x2	19	48"	100'	88
2x2	19	72"	100'	132
2x2	19	24"	50′	23
2x2	19	36"	50′	34
2x2	19	48"	50′	44
2x2	19	24"	25′	11
2x2	19	36"	25′	17
2x2	19	48"	25′	22
2x2	19	24"	10'	4
2x2	19	36"	10'	6
2x2	19	48"	10'	8
2x2	19	24"	5'	2
2x2	19	36"	36" 5'	
2x2	19	48"	48" 5'	
4x4	23	24"	24" 100'	
4x4	23	36"	100'	66
4x4	23	48"	100'	87
4x4	23	24"	50'	23
4x4	23	36"	50′	33
4x4	23	48"	50′	43
4x4	23	24"	25'	11
4x4	23	36"	25′	16
4x4	23	48"	25′	22
4x4	23	24"	10'	3
4x4	23	36"	10'	5
4x4	23	48"	10'	7
4x4	23	24"	5'	2
4x4	23	36"	5'	3
4x4	23	48"	5'	3.5
8x8	27	24"	100'	32
8x8	27	36"	100'	50
8x8	27	48"	100'	70
8x8	27	48"	5'	3.5

T-Posts

All T-Posts are sold per piece and in 5 piece bundle increments. There are 40 bundles or 200 T-Posts per pallet. Each T-Post comes with 5 clips at no charge. All T-Posts are Green with Ivory Tip, and have a 3 studded plate.

Code	Height
Hot Dipped Gal T-Post (1.25 l	vanized
6TPHW125HDG	6′
66TPHW125HDG	6-1/2″
7TPHW125HDG	7′

Code	Height
Lightweight (.95 lbs/f	
5TPLWG	5′
56TPLWG	5-1/2"
6TPLWG	6′
66TPLWG	6-1/2′
7TPLWG	7′
8TPLWG	8′
Heavyweight (1.25 lbs/	
5TPHW125G	5′
56TPHW125G	5-1/2′
6TPHW125G	6′
66TPHW125G	6-1/2′
7TPHW125G	7′
8TPHW125G	8′
9TPHW125G	9′
10TPHW125G	10′
133's T-Po	ost
5TP133G	5′
6TP133G	6′
66TP133G	6-1/2′
7TP133G	7′
8TP133G	8′
9TP133G	9′
10TP133G	10′

U-Posts

All U-Posts are sold per piece in 5 piece bundle increments. There are 15 bundles or 150 U-Posts per pallet. All U-Posts are solid green.

.

Code		Height
	U-Post	
3UP		3′
4UP		4′
5UP		5′
6UP		6′

Barb Wire - Hot Dipped Galvanized

Designed for rugged use for a variety of containment needs, or to discourage unauthorized entry.

Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
Barbless	12.5	N/A	N/A	1320'	68
Barbed Wire	12.5	2pt.	5"	1320'	77
Barbed Wire	12.5	4pt.	5"	1320'	83
Hi-Tensile Barbed Wire	15.5	4pt.	5"	1320'	42



Post Driver with Handle

Use this post driver with easy to grip handles to install any type of T-Post. This Post driver is 36" in length and at 22 lbs it gets the job done.

Code	Description	
POSTDRIVER	36" Post Driver	22





Red Brand[®] – Standing guard since 1889[™]. "The most respected name in farm fence."

Other Keystone/Red Brand[®] products are available for order but may not be stocking items. Please call for inquires on any item not listed under the Keystone/Red Brand[®] line of products.

Special Order Items:

- King Ranch[®] Fence
- Cross Lock[®] Fencing
- High Tensile Barb Wire
- Deer & Wildlife Fence

For a complete list of Red Brand fencing products, please consult your BMD Full-Line Catalog or log on to **www.** redbrand.com.

Red Brand® Barbed Wire

Available in different styles:

Ruthless[®] – 4-point barb style, 12-1/2 gauge, Class I galvanized, 5" barb spacing. Designed to confine the largest animals on the ranch.

Defender[®] – 2-point barb style, 12-1/2 gauge, Class I galvanized.



Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
50 Defender	12-1/2	2 pt.	4"	1,320'	78
80 Ruthless	12-1/2	4 pt.	5"	1,320'	83
Barbless Cable	12-1/2	n/a	n/a	1,320'	70

Red Brand® Fence Stays

Galvanized spiral fence stays keep barbed wire lines trim and evenly spaced.

		Stays Per Bundle	Bundle Weight
36"	91⁄2	100	35
42"	91⁄2	100	40
48"	91/2	100	46



Size		Weight	Size		Weight
	40# F	PAIL		10# P	AIL
11⁄2"	8	40# PAIL	1½"	8	10# PAIL
1¾"	8	40# PAIL	1¾"	8	10# PAIL
2"	8	40# PAIL	2"	8	10# PAIL



CALL

ORDER:



800-447-0397

KeepSafe® Horse Fence

Closely spaced, 2"x 4" diamond-mesh construction gives this fence linear strength and springy texture to protect horses from injury and prevent predators from entering paddocks and pastures.



Durable and Protective 2" x 4" Diamond Weave (V-Mesh)

Features heavy, twisted horizontal cables, each cable consisting of two wires on 4" spacing from ground to top. Vertical wires, securely wrapped around each horizontal cable, run diagonal to make a diamond pattern and thus form the strongest fence construction known. The wire is galvanized to avoid corrosion.



Red Brand® KeepSafe® Horse Fence


Class 1 (165' ROlls) <u>Style/ Horizontal Gauge Vertical Gauge Roll Weight</u> 0"* 12½ 14 253

*50" height by special order only

How to "Read" Red Brand® Fence

Look for the style number, which is a quick description of the important dimensions of the fence it classifies.

Example: Style #1047-6-12-1/2, 10 is the number of line wires in 47 inches of height, 6 is the spacing between each vertical stay wire measured in inches, 12-1/2 is the gauge of the wire.



"Knots" Make a Fence!

Many heavy gauge wire fence styles are made by "tying" sections of wire together with "knots." Red Brand uses two types of knots, each with a specific advantage in use.

RED BRAND[®] EXCLUSIVE SQUARE DEAL[®] KNOT

This construction prevents fence from buckling or sagging. It provides extra vertical strength and rigidity while allowing flexibility for ideal installation over hilly terrain. One-piece vertical stay wires are tied to line wires and crimped at the joint to prevent slippage.



UNIQUE MONARCH[®] KNOT

This knot acts as a hinge that gives under pressure, then springs back into shape. Monarch fence is easy to install because the hinge "gives." The fence always retains its full height for continuing protection and good looks. Vertical wires are individually cut and wrapped for maximum strength flexibility.



Multi-Use Woven Field Fence

Field Fence is available in different heights with your choice of the Square Deal[®] Knot or the Monarch[®] Knot. An all terrain graduated fencing, ideal for rolling hilly areas, corrals and pastures.

Red Brand® Field Fence

- Monarch[®] Knot (Hinge Joint)

Class I / 10 gauge top & bottom wires (20 Rod Roll – 330')


Style#	Gauge	Fence Height	Roll Weight
939-6-12-1/2	121⁄2	39"	169
1047-6-12-1/2	121⁄2	47"	192

Red Brand® Field Fence

– Square Deal[®] Knot (Stiff Stay)

Class I / 10 gauge top & bottom wires (20 Rod Roll – 330')

Style#	Gauge	Fence Height	Roll Weight
832-6-12-1/2	121⁄2	32"	148
939-6-12-1/2	121/2	39"	169
1047-6-12-1/2	121/2	47"	192



"Non-Climb" Horse Fence

This closely-woven 2"x 4" vertical mesh pattern has been specifically designed to prevent horses, cows or hoofed animals from "stepping through" or "walking down" the fence. Features the Square Deal[®] Knot.



Red Brand[®] Non-Climb Horse Fence

- Square Deal[®] Knot (Stiff Stay)

Style# Gauge Fence Height Roll Weight Red Brand (100' Rolls) 1036-2-12-1/2 121⁄2 36" 92 1348-2-12-1/2 121/2 48" 120 1660-2-12-1/2 121/2 60" 148 72" 1972-2-12-1/2 121⁄2 177 Style# Roll Weight Gauge Fence Height Red Brand (200' Rolls) 1348-2-12-1/2 121/2 48" 240 121/2 1660-2-12-1/2 60" 296 Style# Fence Height Roll Weight Gauge Red Brand Black (100' Rolls) 1348-2-12-1/2 121⁄2 48" 120 1660-2-12-1/2 121/2 60" 148

Class I / 10 gauge top & bottom wires.





Red Brand[®] Non-Climb

Red Brand[®] Deer & Orchard Fence Horse Fence



Yard, Garden & Kennel Fence

CALL ORDER: 800-447-0397

Deer & Orchard Fence

This fence offers ideal protection against deer and elk, keeping predators out of orchards, vineyards and gardens. The unique design has wider spacing at the top and closer spacing at the bottom, so fencing can't be penetrated by small animals.

Red Brand® Deer & Orchard Fence

- Monarch[®] Knot (Hinge Joint)

Class I / 11 gauge top & bottom wires (10 Rod Roll – 165')



Style#	Gauge	Fence Height	Roll Weight
2048-6-14-1/2	141/2	48"	87
2360-6-14-1/2	141⁄2	60"	101
2672-6-14-1/2	141⁄2	72"	115

Yard, Garden & Kennel Fence

This 2" x 2" mesh safeguards yards, toddlers and pets. This fence is strong yet lightweight, making it ideal for kennel fencing. Easy-to-handle and features the exclusive Square Deal[°] Knot. Yard, Garden & Kennel fence is an economical alternative to costly chain link fence.

Yard, Garden & Kennel Fence

- Square Deal[®] Knot (Stiff Stay)

Style#	Gauge	Fence Height	Roll Weight		
Red Brand (100' Rolls)					
1936-2-16	16	36"	51		
2548-2-16	16	48"	66		
3160-2-16	16	60"	83		
3772-2-16	16	72"	104		
Style#	Gauge	Fence Height	Roll Weight		
	Red Bran	d (50' Rolls)			
1936-2-16	16	36"	25		
2548-2-16	16	48"	33		

Galvanized Electric Fence Wire

Ideal for adding extra security to existing systems for changeable confinement operations. Galvanized for resistance to rust and corrosion. Available in handv dispensing spools.

Electric Fence Wire

Gauge	Spool Length	Spools Per Carton	Carton Weight
14	1/4 Mile	2	44
14	½ Mile	2	88
17	1/4 Mile	4	40
17	½ Mile	2	40

Sheep & Goat Fence

Unique 4" x 4" mesh spacing provides strong confinement and prevents animals from putting their heads through the fence. The exclusive Square Deal[®] Knot provides extra



strength and rigidity while allowing flexibility for easy installation on flat or hilly terrain.

Red Brand[®] Sheep & Goat Fence

Style# Gauge Fence Height Roll Weight Class 1 (100' Rolls) 1348-4-12-1/2 121/2 48" 79 Class 1 (330' Rolls) 1348-4-12-1/2 121/2 48" 261 CALL TO ORDER: 800-447-0397

- Square Deal[®] Knot (Stiff Stay)

BMD Presents Davis Wire Corporation – Ranch Hand[®] Farm Fencing



Developing the West... and Beyond

Other Davis Wire – Ranch Hand and Gold Brand products are available for order but may not be stocking items. Please call for inquires on any items not listed under the Davis Wire – Ranch Hand/Gold Brand line of products.

Special Order Items:

- High Tensile Field Fence
- Gold Brand Class 3 Field Fence
- Gold Brand Class 3 Stablemesh
- Baler Wire
- Vineyard Wire

For a complete list of Davis Wire fencing products, please consult your BMD Full-Line Catalog or log on to **www. daviswire.com**.

Barbed Wire

Ranch Hand is available in 2 pt. 5", 4pt. 5" and barbless and made of galvanized steel to endure the tests of time and weather.

Ranch Hand Barbed Wire

- Commercial Galvanized

Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
Ranch Hard	12-1/2	2 pt.	4"	1,320'	76
Ranch Hand	12-1/2	4 pt.	5"	1,320'	83
Barbless Cable	12-1/2	n/a	n/a	1,320'	68






Hinge Joint Field Fence

Flexible Hinge Joint knot gives Ranch Hand[®] woven field fence its unique ability to spring back into shape. Heavy livestock, falling tree limbs and fence-jumping critters like deer make this fence the rancher's first choice.

Ranch Hand®

Field Fence (Hinge Joint Knot)
Commercial Galvanized
10 gauge top & bottom wires
(20 Rod Roll – 330')



Style#	Gauge	Fence Height	Roll Weight
939-6-12-1/2	121/2	39"	168
1047-6-12-1/2	121/2	47"	190
1155-6-12-1/2	121/2	55"	215



Stiff Stay Field Fence

The Stiff Stay knot keeps its shape over hilly ground. Tough, sturdy construction stands up to impact from large animals without buckling or sagging. One piece vertical stay wires are tied to line wires and crimped at the joints to prevent slippage.



Silverado

- Field Fence (Stiff Stay Knot)

Commercial Galvanized 10 gauge top & bottom wires (20 Rod Roll – 330')

Style#	Gauge	Fence Height	Roll Weight
832-6-12-1/2	121/2	32"	148
939-6-12-1/2	121/2	39"	168
1047-6-12-1/2	121/2	47"	190



Deer and Rabbit Fence

This fence keeps large and small predators out of gardens and orchards. Close spacing of line wires at the bottom of the fence keeps rabbits and other



small animals away too. Stiff Stay knot gives Deer and Rabbit Fence extra rigidity, and the galvanized coating affords protection against corrosion.

Ranch Hand[®] Deer & Rabbit Fence

- (Stiff Stay Knot)

Commercial Galvanized 11 gauge top & bottom wires 10 Rod Roll – 165'

Style#	Gauge	Fence Height	Roll Weight
2048-6-14-1/2	141⁄2	48"	85
2360-6-14-1/2	141/2	60"	99
2672-6-14-1/2	14½	72"	114



Stablemesh – Horse Fence

Traditional horse fence is woven with a Stiff Stay knot and is smooth on both sides to protect animals while keeping the fence rigid. Keeps valuable horses secure. Durable, galvanized construction last for years.



Ranch Hand[®] – Stablemesh

- Horse Fence (Stiff Stay Knot)

Commercial Galvanized 10 gauge top & bottom wires 100' Rolls



Style#	Gauge	Fence Height	Roll Weight
1036-2-12-1/2	121⁄2	36"	96
1348-2-12-1/2	121⁄2	48"	122
1660-2-12-1/2	121/2	60"	151
1972-2-12-1/2	12½	72"	179



BMD Presents DeAcero – RANGEMASTER Fencing

RANGEMASTER

RELIABLE, SUSTAINABLE FENCING

RANGEMASTER provides reliable farm and ranch fencing products designed to save you time, labor, and money without sacrificing quality. Offering various types of farm and ranch fence supply products, RANGEMASTER stands up to even the toughest of livestock and weather.

For a complete list of RANGEMASTER fencing products, please consult your BMD Full-Line Catalog or log on to www.rangemasterfence.com.



12-1/2 gauge class 1 wire woven fencing with 2"x4" openings to safely secure horses, cows and other valuable animals. Features Stiff-Stay knot design. Made with class 1 protective coating to ensure long life. Pre-stripped roll ends provide 18" wire tails for faster and cleaner installation on end post and in-line splicing.




Style#	Gauge	Fence Height	Roll Weight
1348-2-12-1/2 48" HORSE FENCE	12.5	48"	116
1660-212-1/2 60" HORSE FENCE	12.5	60"	143
1972-212-1/2 72" HORSE FENCE	12.5	72"	170



12-1/2 gauge class 1 wire woven fencing with 4" x 4" openings. This is the optimal opening for all your non-equestrian animals that tend to climb or have horns which can get stuck in larger traditional fencing patterns.. Features Stiff-Stay knot design. Made with class 1 protective coating to ensure long life. Pre-stripped roll ends provide 18" wire tails for faster and cleaner installation on end post and in-line splicing.




Style#	Gauge	Fence Height	Roll Weight
48" (4x4) STIFF STAY- 100' SHEEP & GOAT	12.5	48"	76
48" (4x4) STIFF STAY- 330' SHEEP & GOAT	12.5	60"	251



Graduated 71" tall pattern with 25 horizontal line wires and 6" vertical spacing to keep predators out of gardens and orchards. Closer spacing at the bottom for small critters and larger openings at the top for deer. Hinge joint design to aid installation in rough terrain. Commercial coated galvanized wires for long lasting performance. 165' roll length.

Style#	Gauge	Fence Height	Roll Weight
2571-6-14-1/2 GA 71" Hinge Joint Fence	14.5	71"	113



BMD Presents

BEKAERT

better together

Build a better, longer lasting fence with Bekaert.

Other Bekaert products are available for order but may not be stocking items. Please call for inquires on any item not listed under the Bekaert line of products.

Special Order Items:

- Hi-Tensile Field Fence
- Fixed Knot Cattle Fence
- Fixed Knot Field Fence
- Fixed Knot Horse Fence
- DOT Fencing Products

For a complete list of Bekaert fencing products, please consult your BMD Full-Line Catalog or log on to **www.fencing.bekaert.com**.

Field Fence

Hinge Joint Field Fence

Field Fence is offered in a wide variety of heights and styles that feature graduated spacing that starts with narrow openings at the bottom which prevents the entry of small animals. The hinge joint knot is designed to give under pressure and spring back into shape with added flexibility and strength. The wire crimps allow the fence to expand and contract in order to withstand everything from corralling your precious investment to standing up to the most severe weather conditions. Our field fences ensure a solid construction on all terrains.





Style#	Gauge	Fence Height	Roll Length	Roll Weight
939-6-12-1/2	121⁄2	39"	330'	170
1047-6-12-1/2	121⁄2	47"	330'	194



Horse Fence

High Strength 12.5/13.5ga ZA(Zinc Aluminum) **Gaucho® Horseman 30**

Stronger than a speeding horse, our High Strength Horse Fence relies on its mesh design and high tensile wire to provide safe, humane containment for your horse, llama, alpaca, sheep, goat, and ostrich/emu.

Our non-climb 2" by 4" openings are meant to deter animals from putting their heads and hooves through the fence and causing harm. The S-Knot design protects your animals skin from harm as well. The high tensile material is 40% stronger than standard low carbon wire, providing functionality for years to come.

Treated with our industry-leading Bezinal® hybrid zinc-aluminum coating that meets or exceeds industry standards, our High Tensile Gaucho[®] Horse Fence carries a Limited Guarantee of 30 years. Our Gaucho[®] High Strength Horse Fence products meet or exceed the following ASTM standards: ASTM A116, ASTM A856 (Bezinal®)





Style#	Gauge	Fence Height	Roll Length	Roll Weight
1348-2-12-1/2	12.5/13.5 Bezinal	48"	100'	109
1660-2-12-1/2	12.5/13.5 Bezinal	60"	100'	136
1972-2-12-1/2	12.5/13.5 Bezinal	72"	100'	162

Black High Strength 12.5/13.5ga ZA(Zinc Aluminum) Plus Paint Gaucho[®] Horseman 40

Bekaert's Gaucho- High Strength wire material is 40% stronger than traditional wires. The unique 13.5 gauge vertical stay wires reduce roll weight while increasing overall strength over traditional low carbon wires resulting in less elongation during and after installation. The unique ZA+ Paint is the industries best and longest lasting finish. The black wires blend extremely well with landscaping to provide you with an enhanced view and exceptional appearance .of your property as well.





Style#	Gauge	Fence Height	Roll Length	Roll Weight
1348-2-12-1/2	121⁄2	48"	100'	109
1660-2-12-1/2	121⁄2	60"	100'	136
1972-2-12-1/2	12½	72"	100'	162

Barbed Wire

Cattleman[®] 14g Barbed Wire Class 3 Galvanized

This product is perfect for the most demanding fence jobs. This product is Class 3 galvanized which will last 3 times longer and is 30% stronger than Class 1 12.5ga low carbon fencing and 15.5ga high tensile wire.



Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
2 Pt Hi Strength	14	2 pt.	5"	1,320'	56
4 Pt Hi Strength	14	4 pt.	5"	1,320'	64

Hi-Tensile Wire

High Tensile Smooth Wire Class 3 Galvanized

This product is made of high tensile steel wire. This means we can use a smaller diameter wire while maintaining the same strength as conventional barbed wire. This product is also is made with Class 3 galvanized coating which is proven to last three times longer than Class 1.

Gauge	PSI	Length	Coil Weight
12.5ga	170K	2,000'	53
12.5ga	170K	4,000'	100



Hi-Tensile

Gaucho[®] Barbed Wire Class 3 Galvanized

This product is made of high tensile steel wire. This means we can use a smaller diameter wire while maintaining the same strength as conventional barbed wire. This product is also is made with Class 3 galvanized coating which is proven to last three times longer than Class 1.



Description	Gauge	Barb Style	Barb Spacing	Reel Length	Reel Weight
2 Pt Hi-Tensile	15½	2 pt.	5"	1,320'	41
4 Pt Hi-Tensile	15½	4 pt.	5"	1,320'	42

Bezinal Double Cut Barbed Staples

Made from premium 8 ga. Bezinal[®] coated wire, these Barbed Fence Staples feature double barbs to maintain fastening and provide easy driving. Shorter staple lengths are suitable for hardwood posts, while longer staple lengths are suitable for softwood posts.



Size	Gauge	Weight	Size
	8# PAIL		
1-1/2"	8	8# Pail	1-1/2"
1-3/4"	8	8# Pail	1-3/4"
2"	8	8# Pail	2"

Size	Gauge	Weight
	50# PAIL	
1-1/2"	8	50# Pail
1-3/4"	8	50# Pail
2"	8	50# Pail

Gaucho Hi-Tensile Game Fence

This product combines the familiar hinge joint knot with high tensile steel. This means Gaucho^{*} is significantly stronger and installs faster with fewer posts. Plus, using Gaucho^{*} means reduced sagging and less maintenance. This product is Class 3 galvanized for a longer fence life.



Style#	Gauge	Fence Height	Roll Length	Roll Weight

Hi-Tensile Fixed Knot

Solidlock[®] Game Fence

The fixed knot design combined with high tensile wire makes Solidlock^{*} the strongest woven wire fence you can buy. This design locks the line wire and stay wire together, giving you maximum strength. Plus, Solidlock^{*}'s use of high tensile wire and solid vertical stays means little to no maintenance so you can spend less time worrying about your fence, regardless of whether you want to keep animals in or out.



Style#	Gauge	Fence Height	Roll Length	Roll Weight
1775-6-12-1/2	121⁄2	75"	330'	327

Black Bezinal Solid Lock Game Fence

Style#	Gauge	Fence Height	Roll Length	Roll Weight
--------	-------	--------------	----------------	-------------

ZA (Zinc Aluminum) Fence


Is made from the same high tensile steel as the industry leading Solidlock[®] Fixed Knot fence. The use of high strength wire means that our fence is not only stronger, but also easier to install because of its light weight and requires fewer posts during installation than low carbon fencing. Once properly installed, high tensile fixed knot fences remain tight for years and requires very little maintenance.


Style#	Gauge	Fence Height	Roll Weight			
ZA 165' Roll						
1478-6-14ga	14	78"	105			
1690-6-14ga	14	90"	122			
	ZA 3	30' Roll				
1478-6-14ga	14	78"	210			
1690-6-14ga	14	90"	241			





Fixed Knot Product Details





CALL TO ORDER: **800-447-0397**

40

Agricultural fencing consists of low carbon wire or high tensile wire. Low carbon wire is made from steel rod with carbon content of approximately 0.06-0.08%. This type of wire is easy to work with and somewhat forgiving. However, it is prone to elongation (stretching and sagging) and the strength is low when compared to high tensile wire.


High tensile wire is made with higher carbon steel. The carbon content of this product is approximately 0.28%. This increased carbon content significantly increases the wire's strength and reduces elongation. This allows you to use a smaller diameter high tensile wire to replace a thicker low carbon wire. Once properly installed, high tensile fences remain tight for years and require very little maintenance.

You can build a longer lasting, low maintenance fence for nearly half the price of a conventional low carbon fence.

Class 1, Class 3, Bekaert ZA and ZA+ Paint.

Class 1 galvanized coating is the protective coating used on standard fence wire. Class 1 is the basic coating used but doesn't last as long as our other coatings. A more effective alternative to Class 1 coating is Class 3 galvanized coating.

Class 3 galvanized coating is the standard on all of our brand name products. This coating is approximately 2.5 times thicker than the industry standard Class 1 galvanized coating. Bekaert Class 3 products ensure a longer life with a heavier coating that protects against environmental elements. Our Class 3 products all meet or exceed ASTM A-121 standards.



ZA, is our new zinc-aluminum hybrid coating, (95% Zn, 5%

New! ZA+ Paint Coating The latest addition to our line of coatings is our new painted finishes which combine a color polymer paint with our ZA coated wire to give you longer fence life in attractive colors. This coating is designed for maximum protection in even the most corrosive



All Western Square products are manufactured using the highest quality materials available, and are powdered coated with Tuff Guard Powder Coating to insure years of corrosion resistance. (With the exception of the galvanized gates).

Other Western Square products are available for order but may not be stocking items. Please call for inquires on any item not listed under the Western Square line of products.

Special Order Items:

- Rocky Mountain Panels & Gates
- Green River Panels & Gates
- Feeders
- Cattle Guards
- Deer Gates

For a complete list of Western Square products, please consult your BMD Full-Line Catalog or log on to **www.westernsquare.com**.

Gates

Galvanized Five Panel

Sp	ecifica	ations:
	Conce	ations.

Height:	52"
Rails:	Five Roll-formed Galv.
	Sheet-Metal Panels
Latch:	Easy Slide Latch
Hinges:	5/8" x 4-1/2" Lag Screw



Item Code	Length
4PANEL	4'
6PANEL	6'
8PANEL	8'
10PANEL	10'
12PANEL	12'
14PANEL	14'
16PANEL	16'

Silverado Economy Five Rail

- Silver Powder Coated

Specifications:

Height:	48"
Rails:	1-5/8" Round Tube
Gauge:	20 Gauge Tube
Latch:	30", 3/16" Welded Chain
Hinges:	5/8" x 12" Threaded Rod

Item Code	Length
4TUBE	4'
6TUBE	6'
8TUBE	8'
10TUBE	10'
12TUBE	12'
14TUBE	14'
16TUBE	16'



Silverado Economy Five Rail

- Evergreen Powder Coated

Specifications:

48" 1-5/8" Round Tube 20 Gauge Tube 30", 3/16" Welded Chain
5/8" x 12" Threaded Rod



Item Code	Length
G4TUBE	4'
G6TUBE	6'
G8TUBE	8'
G10TUBE	10'
G12TUBE	12'
G14TUBE	14'
G16TUBE	16'

Gates

Silverado Rancher Hog Wire Filled - Silver Powder

Specifications:

48″
1-5/8" Round Tube
Graduated
20 Gauge Tube
30", 3/16" Welded Chain
5/8" x 12" Threaded Rod

\sim

Item Code	Length
4GRADWRGATE	4'
6GRADWRGATE	6'
8GRADWRGATE	8'
10GRADWRGATE	10'
12GRADWRGATE	12'
14GRADWRGATE	14'
16GRADWRGATE	16'

Silverado Super Rancher (4"x2") Wire Mesh Filled

- Evergreen Powder Coated

Specifications:

Height:	48"
Rails:	1-5/8" Round Tube
Wire:	(4"x 2") Wire Mesh
Gauge:	20 Gauge Tube
Latch:	30", 3/16" Welded Chain
Hinges:	5/8" x 12" Threaded Rod



Item Code	Length
4WRGATE	4'
6WRGATE	6'
8WRGATE	8'
10WRGATE	10'
12WRGATE	12'
14WRGATE	14'
16WRGATE	16'

Hand Made

12 Gauge Hinge 5/8, 7.8-12" Threaded Rod Designed for easy installation and continued leveling ability.





Superior adjustment for all types of installations. Superior strength in older, more porous/decaying post. Fully assembled, no hardware box to fumble though on the job. Western Square is the only manufacturer to provide this system on gates.

Gates

Green River Stock Gate*

Specifications:

Height:	
Frames:	

Rails:

Latch:

52″ 1-5/8", 14 Gauge Rounded Tube Heaving Duty Five-Sided Roll-formed Tube Gate Hinge: 7/8" by 12" Threaded Rod Double Throw Lever Latch

_/	
1	
-	
_	

Item Code	Length
4GREENRIVER	4'
6GREENRIVER	6'
8GREENRIVER	8'
10GREENRIVER	10'
12GREENRIVER	12'
14GREENRIVER	14'
16GREENRIVER	16'

*Special Order Only

The Deer Gate* - Evergreen Powder Coated 8' Height Extendable

Specifications:

72"
1-5/8" Round Tube
18 Gauge Tube
5/8" x 12" Threaded Rod
24" 1-3/8" Round Tube

ltem Code	Length
4DEERGATE	4'
6DEERGATE	6'
8DEERGATE	8'
10DEERGATE	10'
12DEERGATE	12'

*Special Order Only





The Deer Gate* - Evergreen Powder Coated

7' Solid Top Bar

Specifications:

Height: Rails:	84" 1-5/8" Round Tube
Gauge:	18 Gauge Tube
Hinges:	5/8" x 12" Threaded Rod
Extension:	24" 1-3/8" Round Tube



Item Code	Length
SB4DEERGATE	4'
SB6DEERGATE	6'
SB8DEERGATE	8'
SB10DEERGATE	10'
SB12DEERGATE	12'

*Special Order Only

Black Poly Deer Fence

Tenax Deer Fence is manufactured with Tenax's exclusive round tensile structure. It is available in select, premium and professional grades. Tenax Deer Fence can be used as a barrier to control deer around yards, or gardens. It's virtually invisible and naturally blends into the natural

Item Code	Description	Roll Weight
BPDF712100	7-1/2' x 100' Black Poly Deer Fence	20
BPDF712330	7-1/2' x 330' Black Poly Deer Fence	48



Silt Fence

Tenax Silt Fence is the ideal barrier for sediment control around construction sites or wherever there is bare or disturbed earth. The woven geotextile used on Tenex Silt Fence is



designated to filter out sediment from construction site run-off, yet allow clean water to pass through. Tenax Silt Fence is pre-assembled with hardwood stakes securely attached at 10-foot intervals and packaged in 100 lineal foot rolls.

Item Code	Description	Roll Weight
3100SF	36" x 100' Silt Fence	23

BMD Presents



The OK Brand Promise 100% American Melted — American Made.

Other Oklahoma products are available for order but may not be stocking items. Please call for inquiries on any items not listed under the Oklahoma line of products.

Special Order Items:

- Max-Tight Horse Fence, Field Fence and Hi-Tensile Field Fence
- Sheep and Goat Fence
- Game Fence
- Baler Wire
- Barbed Wire
- Specialty Welded Fence Panels

For a complete list of Oklahoma fencing products, please consult your BMD Full-Line Catalog or log on to **www.okbrandwire.com**.

Stockade Panels

				- 50'
Item Code	Item Description	UoM	6	Γ
HANDY	′ PANEL 1050 - 8 - 4/5 GAUGE - 8	'LONG	6	
		D:	6	T
HANDYPANEL	10 Line Wires in 50" Height 8" Between Stay Wire	Piece	6	Г
	Graduated Wire		6	Г
	50 Pieces Per Bundle		6	Г
			6	Г
			4	Γ
Set	1 1 Martine	OVIA .	4	Ι
			8	Ţ



Item Code	Item Description	UoM
CATTLE	PANEL 1660 - 4 - 4 GAUGE - 16' L	.ONG
CATTLEPANEL	16 Line Wires in 60" Height (4"x 4") Pattern 50 Pieces Per Bundle	Piece
Item Code	Item Description	UoM
UTILITY	PANEL 1660 - 4 - 6 GAUGE - 16' L	ONG
UTILITYPANEL	16 Line Wires in 60" Height (4"x 4") Pattern 50 Pieces Per Bundle	Piece





60″

л



CALL TO ORDER: 800-447-0397

Stockade Panels

Item Code	Item Description	UoM	
UTILITY RAIL PANEL 1036 - 4 - 6 GAUGE - 8' LONG			
UTILITYRAILPANEL 10 Line Wires in 36" Height Pier (4" x 4") Pattern 25 Pieces Per Bundle		Piece	






Hog Panels

Item Code	Item Description	UoM
	HOG PANEL 1134 - 8 4/5 GAUGE	
HOGPANEL	11 Line Wires in 34" Height 8" Between Stay Wire Graduated Wire 50 Pieces Per Bundle	Piece







BMD Presents



BIG TOP STOCK TANKS ARE BUILT TO LAST!

One-piece sidewall of 20 gauge galvanized steel formed and rolled around 1-1/4" galvanized steel tube creating the heavy top ring.

Both metals formed together resulting in 14 gauge equivalent layers of galvanized metal for superior size and strength.

- 20 gauge galvanized metal
- Locked, swaged, corrugated, welded and sealed
- Tank features fully seamed Pittsburgh lock bottom
- Sidewalls vertically double welded, swaged and corrugated

Welded Sidewall Seam

Exclusive welded seam joins one-piece vertical galvanized steel sidewall

Two Piece Drain Plug

Quality drain with watertight screwclamp fittings

Hutchison[®] HW Brand - Stock Tanks



Item Code	Item Description	Gallons
RE223	2'X2'X3' ROUND END WITH PLUG (3/BD)	72
RE224	2'X2'X4' ROUND END WITH PLUG (3/BD)	100
RE225	2'X2'X5' ROUND END WITH PLUG (3/BD)	128
RE226	2'X2'X6' ROUND END WITH PLUG (3/BD)	156



Item Code	Item Description	Gallons
ST213	2'X1'X3' ROUND END WITH PLUG (3/BD)	32
ST214	2'X1'X4' ROUND END WITH PLUG (3/BD)	47
ST215	2'X1'X5' ROUND END WITH PLUG (3/BD)	59
ST216	2'X1'X6' ROUND END WITH PLUG (3/BD)	70



ltem Code	Item Description	Gal- lons
R32	3' ROUND STOCK WITH PLUG (3/BD)	80
R34	4' ROUND STOCK WITH PLUG (3/BD)	170
R52	5' ROUND STOCK WITH PLUG (3/BD)	275





BMD's wood post and pointed tree stakes are smooth and uniform in diameter from tip to butt. Made from soft wood species to better absorb chemical treatments and ACQ (Alkaline Copper Quaternary) treated to a .40 pcf (per cubic foot) retention for ground contact. This ACQ treatment provides the same level of performance as CCA without the use of arsenic and chromium.

Wood Post Usages:

- End Post-Brace
- Line Post Brace
- Gate Entrance/Exit Brace
- Changes in Terrain
- Splices in Wire Fencing
- Animal Protection alternative to Metal T-Post

For a complete list of products, please consult your BMD Full-Line Catalog or log on to **www.bmdusa.com**.

Douglas Fir Tree Stakes

Diameter	Length	Pcs / Unit
2"	8′	280



Dowelled Wood Posts

Dowelled Fir Posts

Diameter	Length	Pcs / Unit
2-1/4"	8'	225
3"	8'	150
4"	8'	96
5"	8'	61
6"	8'	46
4"	10'	96
5"	10'	61
6"	10'	46





For 70 years, BMD has been known for its integrity, quality and unmatched service. This line of fencing wire is just one more way BMD is providing quality solutions to our customers. In addition to our Western Fencing line, BMD continues to carry other brand name agricultural products.





Please give us a call today and let us know how we can help meet your fencing needs.

Category Manager Frank Primrose

Ag Products Sales Team Frank Primrose Charles McKerras

Building Material Distributors, Inc. Phone: 800-447-0397 Fax: 800-611-9863 Welded Wire Poultry Netting Hardware Cloth Aviary Netting Gopher Wire Tomato Wire



http://www.bmdusa.com/bmd-brands/western-fencing



CORPORATE HEADQUARTERS

225 Elm Avenue, Galt, CA 95632 800-356-3001



www.bmdusa.com